Detailed Project Report (DPR)

Model Template for NHB Scheme No.2

Scheme.2	Capital Investment Subsidy Scheme For Construction/ Expansion/		
	Modernization of Cold Storage for horticultural produce and products.		

Nature of Project	Tick mark
Construction (New) – Type-2 CS	
Expansion-Type- 2 CS	
Add on Stand-alone component-Type-2 CS	

		Tick
		mark
1.	Type-2 basic for multiple temperature and product use, more than 6 chambers of < 250 MT	
2.	CA Tents	
3.	Programmed Logic Controller(PLC) Equipment	
4.	Dock Leveller	
5.	Warehouse Development & Regulatory Authority (WDRA)/ Negotiable	
	Warehouse Receipt (NWR) system, equipment.	
6.	Specialized Packging	
7.	Reefer Container (Multi-modal)	
8.	Advanced Grader	
9.	Stacking system	
10	. Retail Shelf	
11	. Alternate Technology	

Submitted by	
(Applicant) with full correspondence Address	SS

Detailed Project Report (DPR) will have to be signed by the applicant (s) / authorised person (in case of legal entity) on each page with date -along with Horticulture and Project Finance Expert wherever applicable.

Index

S.	Description	Page No.
No.		
	Project at a Glance	
1.	About the Applicant /Promoter and his/her entrepreneurship	
2.	Details of benefits availed by the Applicant / Promoter	
3.	About Project -Name, Rationale, Management and Description	
4.	Market viability	
	Raw material commodities & their characteristics	
	2. Raw material Availability	
	3. Market Viability	
	4. Business Model	
6	Technical Viability	
	1. Design and Technical standards of Cold storage, Technology and add on components and their compliance	
	2. Automation if any	
	3. Cold storage Protocols	
7.	Food Safety	
8	Traceability	

Annexure

1	Checklist	
2	Civil Works, Technology, Standards and Compliance	
3	Proposed stages in NHB Scheme implementation	
•	Declaration/ Certification by Experts and Charter Engineers	
•	Declaration/ Certification by Applicant	
•	Check list	
•	List of documents to be submitted	

Project at a Glance

1.	Applicant (s) / Legal entity Name					
2.	Constitution / Applicant nature / beneficiary					
3.	NHB Scheme for which DPR is made: 2.1/2.2/2.3/2.4/2.5.					
4.	Project Activity proposed					
5.	Project Site Address with I	Postal C	Code and Police	e Station Name		
6.	Land ownership: Owned	or on 1	registered leas	e for minimum of 10		
	effective years from the da	ate of IF	PA. In other wo	ords ideally one should		
	have 11 Years of lease in	cluding	a processing	period of 1 Year from		
	the time of application for	Technic	cal feasibility.			
7.	Market viability				Yes/No	
	1. Whether the project is	located	in the crop clu	ster/ hub/ belt	Yes/No	
	2. Availability of raw ma	aterial a	ssured			
	3. Market Analysis is und	lertaken	1			
	4. Business model					
	5. Name of commodity pr	roposed	to be stored			
	1					
	1					
	6. Number of persons ser	viced				
				Traders		
				Exporters		
				Processors		
				Others		
8.	Financial viability				Yes/No	
	Project economic perio	od/ econ	omic life			
	2. Total Project Cost of th	ne propo	osal			
	3. Project completion per	iod (in	months)			
	4. Expected Implementation	ion	Commencem	ent		
	timeline		Completion			
	5. Total Eligible Project	cost as	assessed by the	e Applicant as per		
	NHB guidelines		-			
	6. Bank/ Financial Institu	tion ide	ntified for Ter	m loan		
	7. Proposed Means of	Promoters contribution (in Lakh Rs.) & %				
	Finance	Bank '	Term loan (in l	Lakh Rs.) & %		
		Un sec				
		Total				
	8. Likely Employment ge	neration	n (man days)			
	9. Gestation/Moratorium					
	10. Projected Key	-	nt Ratio other t	han export units		
	Financial Parameters		port units	1		
		IRR /E	-			
	IKK/DCK					

		DSCR*	
		Average DSCR	
		Debt to Equity Ratio i.e DER	
		TOL/TNW	
		Promoters Contribution	
		Break Even Point	
		Security Coverage Ratio	
		Repayment period	
9.	Technical viability		Yes/No
	1. Annual through put Ca		
	2. Number of Chambers		
	3. and Technical their		Yes/No
	4. Food Safety		
	5. Traceability		
10.	Employment generation	Direct- regular per annum	
		In-direct – Man days per annum	

1. About the Applicant / Promoter and his/her entrepreneurship

A. About Applicant / Promoter

1.1.In case of Individuals or Group of farmers (if applicable)	
Individual	
Name of Farmer / Entrepreneur/Individual/ Proprietor	
2. Parents or spouse name of Individual	
Group of Farmer growers / SHG- Promoters	
1. Name of Group	
2. Names of all members of group with their father, mother/husband/ wife name	
1.2.In case of Legal entity (if applicable)	
Name / Title	
1. Incorporation / Registration number / CIN & date of registration	
2. Act under which Registered	
3. Registering authority	
4. Name of CEO/CMD/MD/	
5. If it is FPO/ FPC/ Producers Co-op society / Growers Co-operative Marketing federation- Please specify	
6. If it is Reg. Society/ Company/ Corporation / Partnership firm / Proprietary firm- Please specify	
7. Name of Promoter (s)	
8. Status of the promoter / applicant in the legal entity-please specify	
9. Whether the promoter / applicant is authorised by the Legal entity- Yes/No	
 10. In case of Company/partnership firms / legal person a. Certified copy of Company/Partnership incorporation/ registration certificate issued by Competent Authority, as applicable b. Certified copy of MoA/Bye Laws c. Certified copy of Board of Directors Resolution duly passed and authorizing signatory of application to apply for IPA d. Certified copy of latest Audit Report, if applicable i. (are to be made available in case the project and the application is considered for processing State Yes/No 11. NGO- Specify details including registration No. 	

1.3.Government Institutions /	Organisations—Please specify (if applicable)			
(i) Marketing Board / Agric	ultural Produce Marketing Committee APMC			
(ii) Municipal Corporation				
(iii)PSU/ Agro-Industries Co	prporation			
(iv)ICAR/CAU/SAU/ Gover	rnment R&D Institution			
1.4.Statutary registration	(for both promoter and legal entity based on applicability)			
a. PAN No				
b. Aadhaar No.	Yes/No			
c. Udyog Adhaar No.				
d. GST				
e. Passport No.				
f. Any other				
1.5.Correspondence Address	Postal Address with PIN code			
•	Telephone			
	Mobile			
	Email id			
	Fax if any:			
1.6.Project / Site Address				
1.7.Social Category	General / SC/ST			
(In case of legal entity the	OBC			
CEO and Board of Directors	Minority			
social category is to be	(Muslim/Christians/Sikhs/Buddhists/Parsis/Jains)			
mentioned)	In case of SC/ST applicants a Certified copy of			
	Caste Certificate issued by Competent Authority			
	is to be enclosed. In case of others a self-			
	declaration is to be enclosed.			
1.8.Location: TSP / NE Region	In case of TSP a self-attested copy of notification			
/ Hilly States	is to be enclosed.			
1.9.Gender	Male / Female/Transgender			
1.10 Details of Contact Person				
	(i)			

B. Applicant/ Promoters' Entrepreneurship:

- 1.10.CV / Biodata of Applicant (s) / Promoter (s) (Authorised by legal entity) in brief: (If applicants are more than one, all are to provide their CV / Biodata)
 - a. Name of Applicant/ Promoter:
 - b. Fathers & Mothers name:
 - c. Spouse Name
 - d. Date of Birth
 - e. Place of Birth (village/town/city, District and State)
 - f. Permanent Address:
 - g. Educational qualification (Higher Secondary, Under graduation Degree and above)

Education	Name of	Board /	Year of	Remarks
Metric/ U	education /	College /	Pass	
	specialisation	University/		
		Institute		

h. Horticulture and project proposal specific Trainings if any undergone

Training	Duration and Period	Institute with address	Purpose for undergoing training

- i. Current profession with details of Turn over, Accomplishments if any.
- j. Previous profession during the last 5 Years with details of Turn over, Accomplishments if any
- k. Experience- General and Horticulture & Cold storage
 - a. General (Other than Horticulture) specify the activity, establishment/ Office, location etc.
 - b. Horticulture-General: State specific activity- crop production, PHM etc. including project site, area, number of years, accomplishments etc.
 - c. Horticulture-Experience in proposed activity/ Cold Storage: provide the name of establishment/office, location, number of years, specialisation etc.
- 1. Any information that establishes the applicants' entrepreneurship (Should be able to enclose evidence during Market & Financial Viability stage and during JIT):

1.11. Registrations with any Government Agency if any

Government Agency	Provide registration No. details with date
	and location of registration
a. Warehouse Development &	
Regulatory Authority (WDRA	
b. MSME	
c. MSME/SSI	
d. Any other	

1.12.Commitment by the applicant: In case the project is approved for pre-IPA technical feasibility, the promoter / CEO/CMD and technical personnel (minimum two persons) should undergo a 2 Weeks (min.10 working days) project specific training programme as found appropriate / approved by NHB.

2.3.In case of a Partnership firm/ Company / Legal person

- a. Whether the proposed activity is covered under the objectives as per Memorandum of Association (MoA) & Rules explicitly: If so please provide the Article and Rule in verbatim.
- b. Professional history of Legal entities Farmers Producer Organisations (FPOs), Self Help Groups, Partnership/ Proprietary Firms, NGOs, Companies (as a Board of Director), Corporations, Cooperatives, Co-operative Marketing federations/ Government Institutions.
- c. Management structure if it is a company/ firm etc depicting the position of the applicant.

2.Details of benefits availed / **proposed to be availed by the applicant**- either individually or as a member of Association of growers, Group of Farmer Growers/consumers, Farmers Producer Organisations (FPOs), Self Help Groups, Partnership/ Proprietary Firms, NGOs, Companies (as a Board of Director), Corporations, Cooperatives, Co-operative Marketing federations from (i) NHB and (ii) other Ministries/ organisations of Central Government and (iii) State Governments including NHM for Horticulture related projects.

Note: The beneficiary should be truthful. In case any information is received later on at any stage about his/her availing of benefit which is not disclosed hereunder will entitle NHB to reject the current proposal and recover the funds if already released.

2.1.In this / proposed project and location:

- 1. Whether the proposed project proposal has been submitted for consideration under any State Government or Central Government Scheme for financial grant? If yes give details.
- 2. Whether any subsidy has been availed from the Board, other Central Govt. organisation or State Government for the same activity on the same piece of land, khasra/ Gat/Dag/ etc either in his / her own name individually or in the name of his/her family members or through any legal entity in which he/she is the beneficiary either in the same location, project. Yes/ No. If Yes, Please provide details

Constitutio	Ministr	Schem	Project	Project	Land	Eligibl	Total	Current
n —	y/	e	code &	Locatio	Surve	e	subsid	status of
Individuall y or in any form	Organi sation	Name	Activit y	n	y No	Project cost (Rs.in lakhs)	y/ grant (Rs.in lakhs)	project- Operational / underutilise d / closed

- **2.2.In earlier / any other Project (s) : E**ither in his / her own name individually or in the name of his / her family members or through any legal entity or in any form or constitution, in which he / she is the beneficiary either in the current proposed project location or any other location.
- 2.2.1.From NHB: Whether any assistance in the form of soft loan and subsidy has been availed earlier from the National Horticulture Board? If yes, give details thereof

Year	Scheme	Project	Project	Land	Eligible	Total	Current status
	Name	code &	Location	Survey	Project	subsidy	of project-
		Activity		No	cost	/grant	Operational /
						availed	underutilised /
							closed

2.2.2.From Central Government- Ministries / Organisations:

Year	Scheme	Project	Project	Land	Eligible	Total	Current status
	Name	code &	Location	Survey	Project	subsidy /	of project-
		Activity		No	cost	grant	Operational /
						availed	underutilised /
							closed

2.2.3.From State Governments:

Year	Scheme	Project	Project	Land	Eligible	Total	Current status
	Name	code &	Location	Survey	Project	subsidy	of project-
		Activity		No	cost	/grant	Operational /
						availed	underutilised /
							closed

2.3. Operational status of earlier projects under NHB scheme and other Central Ministries and State Government.

Ye	Organisa	Activit		Dates		As on	Annu	Expo	Profita	Rema
ar	tion /	y for		ı	T	date	al	rts if	ble or	rks /
	Ministry	which	Subsi	Project	Comme	Project	Turno	any	loss	Reaso
	which	assista	dy	comple	nced	Operati	ver		makin	ns
	released	nce is	recei	ted	producti	onal	(of		g	
	assistanc	availe	ved		on	status	previo			
	e	d &					us			
		code				(Runnin	Year)			
						g or				
						Closed)				

^{*} in case of completed projects and where proposals envisioning expansion/ modernisation are proposed, Annual Reports and Audited Statement of Accounts of the last 3 years are to be made available along with Bank appraisal during Market and Financial Viability stage both online and offline.

2.4.Please provide map of earlier / other subjects and this project- Key map of project land showing project details and land boundary details

2.5. Provide the following details:

- a. Have you ever been refused / denied subsidy claim from NHB, NHM, APEDA, NCDC, MoFPI? If Yes please provide details of (i) Project code, (ii) Name of Applicant, (iii) Address (iv) Project activity etc. and the reason for such refusal / denial:
- b. If you were a recipient of Government subsidy, have you / your Bank/FI ever been asked to refund the subsidy / call back? If Yes please provide details of (i) Project code, (ii) Name of Applicant, (iii) Address (iv) Project activity etc. and the reason for such refusal / denial:

Attention:

1. In case the project application is considered for Pre-IPA, the applicant shall have to enclose No Objection Certificate from State Government / State Horticulture Mission that there is no duplication of funding for the project and the applicant shall also submit self-declaration that he/she is not availing government subsidy / grant / assistance from any other ministry.

1. About the Project, Rationale, Management and Description:

4.1. About the Project

1. Name of the Project				
2. Correspondence Address:				
3. Address of Project Site:				
4. Nature of Project				
Nature of Project				
Construction (New) – Type-2 CS				
Expansion-Type- 2 CS				
Add on Stand-alone component-Type-2 CS				

5.Project Activity and Scheme components (Should be as per NHB scheme latest scheme guidelines- please verify):

	Tick	No of	Capacity
	mark	Unit	
Type-2 basic for multiple temperature and product use, more than 6 chambers of < 250 MT			
2. CA Tents			
3. Programmed Logic Controller(PLC) Equipment			
4. Dock Leveller			
5. Warehouse Development & Regulatory Authority (WDRA)/ Negotiable Warehouse Receipt (NWR) system, equipment.			
6. Specialized Packging			
7. Reefer Container (Multi-modal)			
8. Advanced Grader			
9. Stacking system			
10. Retail Shelf			
11. Alternate Technology			

- 6. Produce /commodity to be handled / stored
- 7. Objectives of the project
- 8. Expected outcomes of the project
- 9. Socio-economic benefit to the Rregion /District / State

1.2. 3.2. Rationale / Justification for the project:

(should also include availability of raw material, its area, production and its volume, quality, existence of similar projects, linkage with markets, consumption areas, technology etc.)

3.2.1. Rationale

1.3. Project Site/ Land details:

1.3.1 Proposed Project Area (Sq.mt)

A	Name of Owner of la	and proposed for the			
	project as per Land I	Revenue Records			
		land is clear in the name			
	of applicant and is fr	ree from any litigation			
	How Title is	Ancestral			
	derived	Purchased (with details			
		of date)			
	Encumbrances if any	y			
В	Name of the Owner	in case of joint ownership	Survey/	Area in	Share
			Gat	Sq.mt / Ha	
			/khasra		
			No etc.		
		aries are demarcated for	Yes/No		
	the applicant clearly				
	-	ossession of the Applicant			
C	In case of Partnershi	1			
		d is owned by Partnership	Yes/No		
		y by its partners			
		is owned by one of the			
	<u> </u>	ndertaking by land owner			
		ating that he/she will not			
		le or transfer his/her land			
		ncy period of the project			
D		ossession of the Applicant			
D	In case of Lease	1: 41 4 61 1			
		nd is that of leased,			
		details of the said leased			
		ffice of Sub-Registrar			
	2. No.of Years	of lease			

	3. Whether lease is entered in RoR	Yes/No
	Whether land is in possession of the Applicant	
E	Whether land is mortgaged? If yes provide	
	details of mortgagor and mortgagee	

3.4.Location of the Project- Identification (Longitude, Latitude, Altitude, Village, GP, Block, District, State), Area, Number of growers.

1.	Location Address
2.	a. Survey/Khasra/ Dag/ Other No
3.	b. Habitation/ Village
4.	c. Gram Panchayat / Urban body
5.	d. Block / Urban body
6.	e. Sub-Division
7.	f. District
8.	g. State /UT
9.	Location Longitude, Latitude &
	Altitude
10.	Total Area of land owned (ha)
11.	Total Area proposed for project (ha)

Google map with coordinates:

3.5. Current usage of land of proposed Project Area

Proposed Pro	ject		Current usage			
Survey / Dag	Nature of	Area (ha)	Activity /	Area (ha)	Mortgage	
etc.No	land		Crop		Yes/No	
	Dry/				If Yes with	
	Irrigated/				whom	
	Waste land					

3.6. Current infrastructure and assets possessed by the Applicant:

Category	Asset Name	Year of	Make	Capacity	Cost
		Purchase			
Fixed					
Assets					
Operating					
Assets					

3.7.Lay out plan of the project/ Map of Farm / production/ Operations unit / project land showing project details and land boundary details including with fire, effluent treatment and traffic movement within the campus.

3.8. Conversion of Land Use (CLU) if applicable

Whether Land in possession of the applicant is with/ without approval for industrial use/Whether CLU permission for the project has been received from competent authority: If Yes- Please provide details of the authority approved with full designation, address contact numbers and email id, approval No. and date

3.9. Whether project site is part of production belt / cluster / hub? If yes, provide details of working relations with other farmers

4.8. Rationale for project site selection / Location advantages and disadvantages

3.11.Compliance of project site safety (Soil condition- water logging, industrial waste and effluents/Run off and contaminated water) **including seismic sensitivity**

Connectivity:

Road	National High way	
connectivity- Distance from	State Highway	
	Fright Corridor	
	Golden Quadrilateral	
Rail connectivity		
Air connectivity		
Water ways		
Market connectivity		

Supply side suitability: Raw material Catchment area

Whether project site is part of production belt \prime cluster \prime hub? If yes, provide details of working relations with other farmers

Road	National High way	
connectivity- Distance from	State Highway	
	Fright Corridor	
(Range)	Golden Quadrilateral	
Rail connectivity		
Air connectivity		
Water ways		
Market		
connectivity		

Map of Catchment Area:

Demand side suitability

Proximity and connectivity of project site to major consumption centres /Mandies

Demand centres	Names	Distance from the proposed site
Agriculture Produce		

Market Committees -	
APMCs / Mandies	
Tier-1, 2 and 3 cities	

Map of consumption Centres

Other Merits/ Advantages:

4.10. Component wise Justification: (Use the applicable information)

		Tick	No of	Capacity
		mark	Unit	
1.	Type-2 basic for multiple temperature and product use, more than 6 chambers of < 250 MT			
2.	CA Tents			
3.	Programmed Logic Controller(PLC) Equipment			
4.	Dock Leveller			
5.	Warehouse Development & Regulatory Authority (WDRA)/ Negotiable Warehouse Receipt (NWR) system, equipment.			
6.	Specialized Packging			
7.	Reefer Container (Multi-modal)			
8.	Advanced Grader			
9.	Stacking system			
10.	Retail Shelf			
11.	Alternate Technology			

4.11. Cost components / activities of the **proposed** Project

Project Component	Sub- items	Capacity / Area/ spacing Etc.	Units/ Numbers	Proposed Total Expenditure	NHB norms for calculating EPC
1	2	3	4	5	6
Land					Capacity
Land and site					based:
development					In case of Cold Storage/ CA
Building & Civil	PEB Structure				and
Structures	Civil construction				

	Ţ	 	-	
Plant and Machinery	cost Cost of racking / mezzanine structures Insulation system Refrigeration system Condensers Air handling system Ventilation system CO ₂ , Ethylene scrubbing systems Humidity generation			Technology induction and Modernisation - Eligible Project Cost (EPC) is based on capacity except for components which are part of CS / CA stores. Capacity and Pro-rata basis:
	and control systems			In case of Refrigerated
Material Handling Equipment	Piping Stacking system Bins Battery operated pallet trucks Crates, Pallets Reach Truck, Forklift etc etc.			Transport Vehicles Component based: For Add on
Sorting				components
Grading Infrastructure				
Refrigerated	D.f.			
Transport	Refer container			
Tools and Equipment	Floor Cleaning equipments, Vacuum Cleaners etc.			
Laboratory				
Process Control & Automation	Monitoring Gauges PLC etc			
Utilities	Water softener etc. HT power line Transformer and voltage stabilizers			
Backup system	DG sets			
for power	Solar Power etc.			
Energy efficient and technology to reduce carbon foot print	Solar VFD HRW			
- 1	Total			

Operational planning:

Nome of Managan (recording discostly and an the	
applicant / CEO) if anyoptionalQualification and	
experience of the proposed personnel in managing	
cold chain projects.	
Operations: (viz., loading, unloading, grading, sorting,	
cleaning, weighing, packing etc.)	
i.	Own / custom hiring
ii.	Own / outsourcing
iii.	Own / outsourcing
iv.	Own / outsourcing
v.	Own / outsourcing
vi.	Own / outsourcing
vii.	Own / outsourcing
viii.	Own / outsourcing
ix.	Own / outsourcing
X.	Own / outsourcing
	cold chain projects. Operations: (viz., loading, unloading, grading, sorting, cleaning, weighing, packing etc.) i. ii. iii. iv. v. vi. vii. viii. ix.

Profile of Agency executing erection of Cold Storage / CA etc.

1.	Name of agency providing technical know-how and	
	turn key basis with full address of its Hq and its local office	
2.	CIN / Company Incorporation No.	
3.	GST No.	
4.	CEO of the Agency	
5.	Contact person Name and contact numbers	
6.	Technical Manpower available	(Desirable)
7.	Number of years of experience	(Desirable)
8.	No of plants set up till date during the last 5 years in the State	(Desirable)
9.	Turnover of the Agency	(Desirable)
10.	Whether firm has been blacklisted ever by any government or	(Desirable)
	corporate firm	

3.15. Quality of Services of Agency executing erection of Protected Structure/ Post Harvest Infrastructure (based on project / applicability etc.

1.	Hardware: Guarantee offered 1. 2.	Guarantee Period & conditions if any
	3.	
2.	Hardware: Warranty offered	Warranty period & conditions if any
	1.	
	2.	
	3.	
3.	Services: Supervision and After sales service	Free service Period
4.	Others	
5.		
6.		
7.		
8.		

10.13. Project Implementation period in case of approval:

(Commencement to Completion......Months)

Activities	Months	Approximate Date	Expected Date of
	required	of Commencement	Completion
Acquisition of Land			
Development of Land			
Building & Civil Works			
Plant & Machinery			
Placement of order			
Delivery at site			
Erection of equipment			
Electrical & Instrumental			
Erection			
Trial runs &			
Commissioning			
Fixing of Insulation			
Arrangement of Power			
Arrangement of Water			
Commercial Operation			

Note: Time limit for completion of project is 18 months.

10.14. Month Wise Operational Chart Number of days of operation

Product	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sept	Oct	Nov	Dec
Commodity-1												
Commdity-2												
Commodity-3												

Loading period	
Holding Period	
Sales Period	

Availability of Manpower (Skilled Labour, Expertise etc. Required, Already available, Gaps and the management in an Year.)

Managerial-Proposed

S.No	Designation	Education	Experience	Numbers	Purpose	Remarks
		Qualification				
	CEO					
	Administration					
	Customer					
	Development					
	Labour					
	management and					
	Welfare					
	Others					

Technical-Proposed

S.No	Designation	Education	Experience	Numbers	Purpose	Remarks
		Qualification				
	Operations Head					
	& Supervisor					
	Safety Officer					
	Inventory auditor					
	Rodent & Pest					
	Management					
	officer					
	MHE & HAVC					
	maintenance					
	head					

Skilled and Unskilled Labour

Operations/		Skilled	Unskilled labour				Gap			
activity	Requirement		Availability		Requirement		Availability		S	US
	Number No.of Number No.of Number Days		N	D	N D					

Gap Management if any:

10.15. Employment Generation per annum

No.of man days / Annum	
Permanent man power -Permanent (on rolls)	
Casual / Temporary	

4.17. Facilities, External Infrastructure and Utilities

(Power, Fuel, Water, Plant and Machinery, Effluents treatment etc.)- Required, Already available, Gaps and the management.

Utility	Requirement	Remarks
Power	Likely Daily power requirement	
	Likely Annual Power requirement	
	Proposed Source of Power	
	Access to Power is assured or not	
	Alternative Source of Power in case of	
	breakdowns	
	Whether renewable alternate energy to power is	
	under consideration	
Water	Source – Ground Water /Surface Water	
	Existing or New source	
	Whether NOC has been taken from CGWB / State	Yes/No
	Government Ground water regulation authority-	
	Water measurement systems is planned	
	Daily Water requirement	
	Whether water harvesting is planned	Yes/No
	Water productivity parameters proposed if any	
	Quantity of effluents likely	
	Water treatment plant if any proposed	Yes/No
Fuel	Access to fuel to power- Generators- Yes/No	
	Nearest fuel depot	
Effluent	Facility and method adopted for effluent	
treatment	treatment.	
Market		
connectivity		

10.16. SWOT Analysis

1	Strengths	
2	Weaknesses	
3	Opportunities	
4	Threats	

MARKET VIABILITY

1.Raw material commodities and their characteristics

S.No	Name of Commodity	Characteristics		
	proposed to be stored			
		Physical	Biological	Chemical

Horticulture produce are special as they respire even after harvest.

For single commodity storage

- 1) Harvesting time (morning/evening hours when temperature is low) and pre cooling requirement of product
- 2) Minimize mechanical injury during harvest/handling prior to storage
- 3) Requirement of operations like desapping in case of mango
- 4) Climacteric or non-climacteric nature of produce
- 5) Requirement of blanching (to inactivate enzymes in case of frozen peas)
- 6) Temperature and humidity ranges for safe storage of produce
- 7) Chilling injury temperature ranges

For Multi commodity storage

In addition to above factors of single commodity, following considerations are needed

1) The commodities mix should be such that there is match of temperature and humidity, levels of ethylene production and sensitivity for all commodities

Examples of ethylene producing and ethylene sensitive products:

- Ethylene producing: e.g. apples, avocado, bananas, pears, peaches, plums, tomatoes
- Ethylene sensitive produce: e.g. lettuce, cucumbers, carrots, potatoes, sweet potatoes
- 2) Odour transfer should be avoided by proper selection of compatible produce

Examples of odor transfers which should be avoided:

- apples/pears with celery, cabbage, carrots, potatoes or onions
- celery with onions or carrots
- citrus with strongly scented vegetables
- pears/apples with potatoes à former acquire unpleasant taste
- green pepper will taint pineapples
- onions, nuts, citrus, potatoes should be stored separately

2. Raw Material Availability

1.1. Identification of Catchment Area/ Cluster: Radius :

(Not to exceed 100 Km radius in production areas)

State	District	Approximate Area	Distance from Proposed Site	Major Crops Available

^{*:} Catchment area should be either Sub-Division/ Block/ Taluk etc.

In exceptional cases the radius can be beyond 100 Km to be satisfied upon physical verification.

2.2. Map of Catchment Area

1.2. Production of targeted horticulture crops in the state

	Crop.1		Crop.2		Crop.3		Crop.4			
Crops	Area (ha)	Production (MT)								

Source: http://agricoop.nic.in/

1.3. Production of targeted horticulture crops in the District (s)

	Crop.1		Crop.2		Crop.3		Crop.4			
Crops	Area (ha)	Production (MT)								

Source: Multiple sources: District Horticulture Office/ Marketing office etc.

1.4. Production of targeted horticulture crops in the in catchment areas

	Crop.1		Crop.2		Crop.3		Crop.4			
Crops	Area Production		Area	Production	Area	Production	Area	Production	Area	Production
	(ha)	(MT)	(ha)	(MT)	(ha)	(MT)	(ha)	(MT)	(ha)	(MT)

Source: Horticulture Dept.

Viability of Cold Storage / Infrastructure:

Catchment	Total	Deduction of	Total	No.of Cold	Existing	Gap between
crop Area*	Production	30% # of	Storage able	Storages	Cold	columns 4 and 6
		production for	Quantity		Storage	
		fresh	(col.3-4)		Capacity	
		consumption				
1	2	3	4	5	6	7

^{*:} Catchment area should be either Sub-Division/ Block/ Taluk etc.

1.5. Seasonality matrix of the commodities

Horticultur	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct	Nov	Dec
е												
commodities												

Lean Season
LCan Jeason

Peak Season

Details of similar projects in the neighbourhood and the installed capacity

Demand and Supply issues specific to project area:

1.6. Throughput Analysis

Product	Planned Capacity	Annual raw material requirement	Surplus available in catchment area/ proposed radius = Deduction of 30% # of production for fresh consumption

Note: please choose your targeted crop

^{#: %} of fresh consumption is variable which may be specified by the applicant.

3. Market Analysis

General information: At State / UT level

1.7. Clusters/ Zones

Crop clusters in the State (Mandatory)

Name of	District	No.of villages	No.of farmers	Total Area	Source*
Crop					
1					
2					
3					
4					

Source: APEDA/ MoFPI/ State Government

1.8. 5.2.4.2.Crop Agricultural Economic Zones in the State / UT, if any (Desirable)

Crop AEZ	District	No.of villages	No.of farmers	Total Area	Source*
1					
2					
3					
4					

Source: APEDA

Project specific information

Proposed usage of Cold Storage / CA

Pu	rpose	Proportion (%)	No.of potential growers / traders in the
			catchment area
1.	Rental for (Growers		
	produce)		
2.	Rental for Traders		
3.	Storage by Owner of Cold		
	Storage for own trading		
4.	Contract Farming		
		100%	

Commodities proposed for Storage:

Commodity / Crop	Variety / Hybrid	Share of commodity	Availability of Protocols	Source of Protocol (R&D Institution/ Company)

1.3. Target Market- As per applicability

Domestic or International. In case of International market, the applicant has to refer APEDA export requirements and should specify compliance appropriately with in the document. In case of domestic market specify the intended market

- 1. Quality grades/ specifications/ kinds of products and their targeted Domestic/ International market.
- 2. Existing / Proposed Market linkages:
- 3. MOUs/ Contract documents / undertakings/ LoA if any
- 4. Target consumption centres/ key domestic markets
- 5. Export targets/ Plans if any
- 6. In case of export, details of volume to be exported / export destination / statutory norms of export destination should be provided in the DPR.

1.4. Market Competition

Major cold storages available in the cluster with respective capacities.

Availability of Storage facilities in the **Project area** (Please attach the list)- For the latest 3 years.

Year	Commodity	Low cost storage structures			Cole	d storage		CA Storage		
		No.	Capacity	Capacity utilisation	No.	Capacity	Capacity utilisation	No.	Capacity	Capacity utilisation

Multiple sources: https://nccd.gov.in/#; http://nhb.gov.in/onlineclient/rptmiscrops_midh.aspx and District Horticulture Office/ ICAP/ Cold Storage Association.

Note: Capacity utilisation data may be provided if available.

Availability of Storage facilities in the project **District**.

Year	Commodity	Low cost storage structures			Cole	old storage			CA Storage		
		No.	Capacity	Capacity utilisation	No.	Capacity	Capacity utilisation	No.	Capacity	Capacity utilisation	

Multiple sources: https://nccd.gov.in/#; http://nhb.gov.in/onlineclient/rptmiscrops_midh.aspx and District Horticulture Office/ ICAP/ Cold Storage Association.

Availability of Storage facilities in the State

Year	Commodity	Low cost storage structures			Cole	Cold storage			CA Storage		
		No.	Capacity	Capacity utilisation	No.	Capacity	Capacity utilisation	No.	Capacity	Capacity utilisation	

Multiple sources: https://nccd.gov.in/#; http://nhb.gov.in/onlineclient/rptmiscrops_midh.aspx and District Horticulture Office/ ICAP/ Cold Storage Association.

Gap Analysis in Project Area:

Surplus produce	Commodity	/	Storage capacity required in the	Storage capacity available in the	Gap	Remarks
			area	area		
	_					

Demand and Supply Analysis

Unit	Surplus of Horticultural crops*		ng cold stores for rent year#	Gap	Remarks
		Nos.	capacity		
Catchment Area					
District where project is					
located					
Cluster					
State					

^{*:} The last 3 years average #: as per the latest available data.

Remarks: (Market reach and specific utilization opportunity if any)

Source for data: State Directorate/ Horticulture/ Agriculture/Marketing office/ District & other local offices/ Any other reliable sources/ Cold Storage association etc.

1.5. Trade Potential (National & International)

Domestic Market Potential

S.No.	Name of major Products / commodities	Name of targeted Market (s) / consumption centres	Justification
1.			
2.			
3.			

^{*}Comments on Demand and Supply gap if any

International trade Potential

(Collect from APEDA Agri-exchange website at http://agriexchange.apeda.gov.in/; including product profile, statistics and market intelligence sites esp. International trade and Global Analytical report in brief to the extent of relevance; may also refer DGCIS sitehttp://www.dgciskol.gov.in/ for more information)

Name of	Major Exporting	% share in	Major	% share in	CAGR rates /
major	Countries	global	Importing	global	growth Indicator
products		market	Countries	market	

5.2.9 Price variation of Commodities at State / UT Capital or at a Major Fruit & Vegetables/ Flower Market

A.At local Market

	Local Market: 1 Unit=Rs. Per Qtl/MT/Kg											
Year	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct	Nov	Dec

Source: Concerned APMC / Marketing Board website or http://agmarknet.gov.in/
If no reliable source is available, the above data may be collected from District Marketing /
Horticulture Officer

B.At nearest / Major Terminal Market

	Major Terminal Market: 2 Unit=Rs. Per Qtl/MT/Kg											
Year	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct	Nov	Dec

Source: Concerned APMC / Marketing Board website or http://agmarknet.gov.in/
If no reliable source is available, the above data may be collected from District Marketing / Horticulture Officer

C.Projected prices of project produce (if Possible)

	Market: Unit=Rs. Per Qtl/MT/Kg											
Year	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct	Nov	Dec

Source: Could be applicants' own assumption / horticulture expert etc.by giving justification

5.2.10.Balance sheet of commodity in the Catchment Area / District/ State (Desirable

Data/ Voluntary)

	Year:					Qty: 000Tons						
	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct	Nov	Dec
Stored/												
Carry in												
Fresh												
Production/												
Arrivals												
Imports												
Availability												
In LT												
Storage												
Consumption												
Exports												
Post												
Production												
losses												
Total Usage												
Carry out												

Source	
Note:	

Whether transportation infrastructure is available.

- 1. Mode of transportation / arrangement:
- 2. Whether cold chain facility available locally if so details of service providers and contact person name.

Value chain Analysis		
Value Addition scope/ potential		

- **6.7.1 State Policies**
- 6.7.2. National Policies
- 6.7.3. International Policies (tariff and non-tariff barriers, Sanitary and Phytosanitary requirements and APEDA /Spices Board regulations in case applicants market include exports)



Financial Viability: Viability of The Project:

10.1. 5.3.Financial Viability of the Project(To be prepared and certified by Project Finance Expert on each page)

Due Deligence Status:

S.No.	Date of Due Deligience	Please tick	Remarks
1	Examination of CIBIL report	Yes/No	
2	Credit rating / scoring is done	Yes/No	
3	Whether name of		
	promoters/company appearing in		
	the list of-	Yes/No	
	a) RBI defaulter list	Yes/No	
	b) RBI willfull defaulter listc) ECGC SA list	Yes/No	
4	a)Verfication of CERSAI (Central	Yes/No	
	Registry of Securitisation Asset		
	Reconstruction and Security Interest)		
	b) In case of company whether	Yes/No	
	financial data verfied with ROC.		

Detailed financial analysis of the investment has been carried out based on estimated costs (as per quotations and established cost norms) and projected revenues (based on industry norms).

10.2. Project cost Component Wise vs NHB Norms (Please refer NHB scheme guidelines)

S. No.	Name of the scheme	Capacit	Proposed Cost	Total Cost as			
	component	у/		per NHB Norm			
		Units					
1.	Cold Storage Unit type-	MT					
	2 for multiple						
	temperature and						
	produce use , more						
	than 6 chambers of						
	<250 MT)						
	1.CA Tents				Tick	No of	Capac
					mark	Unit	ity
	2. Programmed Logic	Controlle	r(PLC) Equipment				
	3. Dock Leveller						
	4. Warehouse Develop	ment & I	Regulatory Authorit	y (WDRA)/			
	Negotiable Warehou	ise Recei	pt (NWR) system, e	quipment.			
	5. Specialized Packgin	g					
	6. Reefer Container (M	Iulti-mod	al)				

	7. Advanced Grader				
	8. Stacking system				
	9. Retail Shelf				
	10. Alternate Technolog	y			

11.3.1. Land and Site development& General Civil works

Description	<u>Area</u>	<u>Unit Rate</u>	Total cost (in Rupees)
Land			
Land development			
Total			

11.3.2. **Building**

S.No	<u>Description</u>	<u>Basis</u>	<u>Area</u>	<u>Unit Rate</u>	Total cost (in Rupees)
Α	Technical Building	As per quotation /			
		LS / As per			
		estimation			
	Civil work (foundation, plinth & flooring)				
	Pre-feb structure				
	Insulation				
	Plumbing & Internal Electrification				
	Fire fighting				
	Racking System				
	Plumbing & Internal Electrification				
	Others				
В	Non Technical Building				
	Toilet Block / office and others				

11.3.3. Non-Building

S.No	<u>Description</u>	<u>Basis</u>	<u>Area</u>	<u>Unit Rate</u>	Total cost (in Rupees)

11.3.4. Plant & Machinery

<u>S.</u>	<u>Description</u>	<u>Unit</u>	<u>Basis</u>	<u>Unit</u>	<u>Amount</u>	<u>Taxes</u>	<u>Total</u>
No.				Cost	(Rupees)		
	Refrigeration system	No. / Capacit y / length	As per quotation / LS				
	Condensers						
	Air handling system						
	Ventilation system						

CO ₂ and Ethylene scrubbing			
systems			
& control systems			
Humidity generation			
Piping			
PLC and Process control			
Others			

Other Add on Components- for each a separate table

S. No.	Description	Qty	Unit Cost	ost Amount (Rupees)		<u>Total</u>
	Sub Total					

11.3.5. **Utilities**

	<u>Particulars</u>	<u>Unit</u>	<u>Basis</u>	Qty	Unit Cost	Cost	<u>Taxes</u>	<u>Total</u>
1	<u>Electricals</u>							
2	Water							
3	Steam							
	Others							
	Sub-total							

11.3.6. Miscellaneous fixed assets

	<u>Particulars</u>	<u>Basis</u>	Qty	<u>Unit Cost</u>	Cost	<u>Taxes</u>	<u>Total</u>
1	Office Furniture & Fixture						
2	Firefighting equipment etc.						
3	Sub-Total						
	Sub-total						

Others

	<u>Particulars</u>	<u>Unit</u>	<u>Basis</u>	Qty	Unit Cost	Cost	<u>Taxes</u>	<u>Total</u>
1								
2								
3								
	Sub-total							

11.3.7. **Pre-operative expenses**

	Particulars	Basis	Unit	Unit cost	Total
--	-------------	-------	------	-----------	-------

1			
2			
3			
4			

Summary of Project Cost

	Item	Project Cost	Max. possible NHB support (self-appraisal)
1.	Land & Land development		
2.	Technical building		
3.	Non-Technical building		
4.	Plant & Machinery		
5.	Add-on components		
6.	Α		
7.	В		
8.	С		
9.	Other components		
10.	Utilities		
11.	Misc.Fixed Assets		
12.	Pre-operative expenses		
	Total		

11.3.8. Means of Finance (Rs.in Lakhs)

S.No	Item	Components		
1	Promoters share			
2	Bank/FI Term loan			
3	Un secured			
	loan/VCA			
	Total			

11.3.9. Information on subsidy available under different schemes:- (For information)

1.	Subsidy from NHB			
2.	Subsidy from State	*		
3.	Subsidy from Centre	*		
4.	Subsidy from other	*		
	sources			
	Total			

Hypothecation Security Details:

5.3.4.About Bank/FI: Name of the Bank/FI, branch and its code identified for Term loan and Rationale

Name of Bank/ FI	
Bank/FI Branch Address	
Bank/FI Branch contact Number	

IFSC code		
ILPC CORE		

5.3.6 Projected / existing operational profitability of the Project : (Rs. In Lakhs)

	Estimated projections							
	Y1	Y2	Y3	Y4	Y5	Y6	Y7	Y8
Capital								
Reserves								
Intangibles								
Tangible Net								
Worth								
Net Working								
Capital								
Current Ratio								
Net Sales								
Op. Profit								
Net Profit Before								
Tax								
Net Profit After								
Tax								
TOL/ TNW								
Debt-equity ratio								
Depreciation								
Dividend								
Retained Profit								

Justification for the above (wherever figures are on higher side)

NOTE:- In case of existing business / project, the promoter has to provide the audited data for the last three years apart from estimated and projected data for covering the entire repayment period.

5.3.7 Project Financing:

- 1) Per Kg cost of storage of commodity for one season (to be calculated by showing unit cost towards loading & unloading, Electricity and fuel charges, Administrative charges, Selling charges, Repair and Maintenance, Insurance charges, Weight loss etc)
- 2) Rate of Interest:
- 3) Percentage of Term loan against total project cost
- 4) Internal Rate of Return (IRR):
- 5) Cost of Production and Profitability (Annexure)
- **6)** Yield and Sales Chart (Annexure)
- 7) Proposed Balance Sheet: (Annexure)
- 8) Proposed Cash flow Statement for repayment period (Annexure)
- 9) Proposed Profit & Loss Account: (Annexure)
- **10**) Proposed Repayment of Term loan and Schedule (Annexure)
- 11) Break even Analysis (Annexure)
- 12) NPV (Net Present Value)
- 13) Economic Rate of Return
- 14) Depreciation

5.3.8 Sensitivity analysis of the project.

Base Case	2018-19				
	(First Full				
	Year of				
	Operation)				
Case I	Decrease in cap	acity utilizat	on by 10%.		•
Case II	Decrease in Sal	es by 10%.			
Case III	Increase in Raw	Material Co	st by 10%		
	Base Case	Case 1	-	Case I	Case III
PBIDT					
PBT					
PAT					
Min DSCR					
Max DSCR					
Overall					
DSCR					

5.3.9 Key Financial Parameters for the proposal:

Sl. No.	Ratio	Benchmark	As calculated by Project Finance Expert				
			1 st yr	2 nd yr	3 rd yr	4 th yr	5 th Yr
1.	Current Ratio other than export units	1.25:1		•	·		
2.	CR-Export units	1.10:1					
3	IRR /BCR						
4	DSCR*	1.50:1					
5	Average DSCR						
6	Debt to Equity Ratio i.e DER	3:1					
7	TOL/TNW	4:1					
8	Promoters Contribution	25% minimum					
9	Break Even Point	Lower the % is better					
10	Security Coverage Ratio	More than 100% of Loan Amount					
11	Repayment period	Up to 7 Years excluding moratorium, but not to exceed an overall tenor of 10 years					

^{*:} is indicative and is variable subject to Bank

	Statement of Assets & Immovable Assets	k liability as on.	•••••
Sl.No	Description	Extent	Locat

Sl.No	Description	Extent	Location	Face value	Market value
1	Land				
2	Building				
3	Plant & machinery				
4	Commercial plots				

(Rs. In lakh)

2. Movable Assets

Sl.No	Description	Modle	Face value	Market value
1	Car/Scooter/Truck/Bus/Mobile			
	phone			

3. Bank/FI balances and cash

Sl.No.	Name of the institutions	Date of	Face value	Market
		opening		value/Present
				value

4. Shares & debentures

Sl No	Name of the	Date of	Face value	Market value
	Company/Institutions	purchase		

5. Investment in business & other associates concern

Sl No	Name of the	Date of	Face value	Market value
	Company/Institutions	Investment		

Total assets			
--------------	--	--	--

1. Liabilities

Sl.No.	Nature of the loan	Name of the	Date of loan	Face	Market value/
		institution		value	Present value

Total liabilities	 	 •
Net of assets & liabilities		

Date: Signature of the Promoter/Guarantors/Directors /partner

5.3.11.Risk Analysis & Management

- A. Promoters & Management Risks:
- B. Project Completion and Operational Risk:
- C. Other Risks:

Risk	Management
Excess production / Glut situation in	
Market	
Crop failure	
Price volatility-low prices	
Pests and Diseases in Cold Storage	
Technical failure	
Power failure	
Natural calamities- fire, cyclone, Floods	
etc.	

5.3.12.Record keeping/ Maintenance proposed

5.Design and Technical standards of Cold Storage, Technology and Add-on Components and their compliance

Component : Cold Storage Type-2

Sr. No.	Contents	Page no.
1.	Basic Data Sheets for Cold Storage and Add on Component	
	a. Identification of the Applicant	
	b. Project Milestone	
	c. Project Identification	
2.	Data Sheet for Cold Storage Type-2	
	i) Commodity Storage requirements	
	ii) Chamber sizing and information	
	iii) Enclosed Ante Room and Handling Area	
	iv) Facility Covered Areas	
	v) Building and Constructions details	
	vi) Insulation and Vapor Barrier Details : Option 1 Expanded Polystyrene Sheet (EPS) Option 2 – Composite PUF Panels/Rigid RPUF	
	vii) Storage Chamber insulation and Details	
	viii) Cold Storage Doors and Air Curtain/Strip Barrier	
	ix) Heat Load Estimation input	
	x) Fresh Air Ventilation System	
	xi) Heat Load calculation of cooling system – Summary	
	xii) Cooling System Configuration – Mechanical Refrigeration	
	xiii) Compressor Rack Details	
	xiv) Condenser Details	
	xv) Cooling Tower Details	
	xvi) Pressure Vessels	
	xvii) Evaporators/Air Cooling Units (ACU)	
	xviii) Electrical Installation	
	xix) Material Handling procedure	
	xx) Safety provisions : Mandatory	
	xxi) Energy Saving Equipment and Measures	
	xxii)Summary of estimated Electrical operating Load	
	xxiii) Estimated Performance Parameters of Proposed Cold Store	
	xxiv) Brief description of any other technologies or infrastructure used	
	xxv) Drawings, Heat Load calculations and Technical details of Equipments	
	xxvi) Codes and Standards Followed	

Note: The above design, infrastructure and facilities should meet and comply with the Minimum System standards notified by the Government of India- Ministry of Agriculture and Farmers Welfare, DAC&FW vide No.F.No.45-64/2010-Hort Dated 15th May 2015.

The weblink :https://nccd.gov.in/PDF/NCCDGuidelines2014-15.pdf

FORM 1: IDENTIFICATION OF THE APPLICANT

A: Identification of the Applicant Name of Promoter(s) Name of Commercial Entity/Enterprise Type of Commercial Entity (Proprietorship/Partnership/ Pvt. Ltd. | Ltd. | PSU | State Undertaking) Postal Address of Entity: Tel/Fax E-mail: Mob No. Presently activity in brief Name of Contact Person Phone: Mobile No. Email: **B. Project Milestone:** Date for application for subsidy Date of Project Start Amount of Bank Loan Sanction Date of Bank Loan Sanction Last Approval/Inspection Status Name of Approving Body PAN Number registered with Bank If Project Commissioned **Date of Completion Certificate Issuing Authority**

C: Project Identification: Pre - Cooler / Cold storage / Pack - House / Reefer Vehicles / Retail Shops

	<u>, , , , , , , , , , , , , , , , , , , </u>					
Name of Project						
Type of Project (Please tick)	New Project	Expansion	Moderni	zation		
Type of Froject (Ficuse tick)						
Location of Project (Complete Address)	Address: Villag e /Town			own		
	DISTRICT:	!	STATE:			
Manpower Employed (on rolls / on contract)						
What Business model is used (rental, captive, part of supply chain service, mixed)						
Years in Business	New					
Components of Project	12. Type-2 basic for multiple temperature and product					
submitted (please tick)	use, more than 6 chambers of < 250 MT					
	1. CA Tents					
	2. Programmed Logic Controller(PLC) Equipment					
Checklist for individual Data Sheets Submitted	3. Dock Leveller					
Sheets Submitted	4. Warehouse Development & Regulatory Authority					
	(WDRA)/ Negotiable Warehouse Receipt (NWR)					
	system, equipme		1	`		
	5. Specialized Pack					
	6. Reefer Container	<u> </u>				
	7. Advanced Grader					
	8. Stacking system					
	9. Retail Shelf					
	10. Alternate Technology					
Type of Products to be		Temperature Zo	ones	I		
Handled (Frozen, Chill, Mild-	<-18 °C	0-10 °C		10-20 °C		
Chill)						

Data Sheet for Cold Storage Type 2

i. Commodity Storage Requirements

Description	Standard Parameters	Proposed by Promoters	Deviation if Any			
Type of commodities /	These are multi commodity and					
Produce	multiple temperature control					
	storage, hence promoter to					
	specify type of commodities /					
	produce to be stored					
Total number of	>6 Chambers *.					
chambers						
Storage capacity of	≤250 MT					
Chambers						
*	However, small capacity cold	stores of less than 500 MT	normally suits small			
	entrepreneur / farmers group's need , such projects be assessed on a case to case basis.					

ii. Chamber Sizing and information

Details	Chambers Group-1	Chambers Group-2	Chambers Group-3	Chambers Group-4	Chambers Group-5
Product Types	·	·	·	·	
Storage Conditions					
a) Temperature – ⁰ C	0 to 2°C	0 to 2°C	0 to 2°C	4 to 5°C	10 to 12°C
b) Relative Humidity %	90-95%	95-100%	65-75%	90-95%	85-90%
Dimension of CS chambers in each group (L X W X H) m					
Storage Capacity of each chamber group (Cubic Meters)					
Storage Unit used (Pallets, Big Bins, Cartons, Crates, etc.)					
Stacking System Used (Over stack bins/ Racking/ others)					
Total Heat load calculated per chamber group (kW)					
Total Refrigeration capacity per chamber (KW) with safety and compressor operation hrs.					

iii. Enclosed Ante Room & Handling Area

Details	Standard Parameters	Proposed by promoters		Deviation if any
Ante Room / Handling Area (L x W x H) - m	With fork lift width ≥ 4.5m and temperature ≤ 20° C	Informatio n	Temp. °C	
Refrigeration Load (KW)	Per Chamber group			
Number of access Doors	Atleast ≥ 1. Provide door numbers and dimension. If operation by Fork lift , the door dimension shall be 2400 mm (W) x 3000 mm (H)			
Dock Leveler System	Provide details of protected loading, unloading platform details. Minimum quantity ≥ 1 and dimensions of the dock shelter may be3400 mm (W) x 3500 mm (H) and overhead door size 2200 mm (W) x 3000 m (H).			

iv. Facility Covered Areas

Particulars	and the second	Proposed by I	Promoters	Deviation if any
	Standard Parameters	. ,		,
Cold Storage Area and Height	Height 8 m to ≤ 12 m. Area would depend upon	Area (m²)		
	proposed storage capacity of Chamber and may be calculated = Storage capacity(MT)/ 3.4	Height (m)		
Ante Room – Area and Height		Area (m²)		
		Height (m)		
Receiving Room Area and height		Area (m²)		
		Height (m))		

Machine Room area and height	Height ≥ 4.6 m	Area (m²)	
		Height (m))	
Generator room area and height	Height ≥ 4.6 m	Area (m²)	
		Height (m))	
Admin Block area and height	Height ≥ 3.6 m	Area (m²)	
		Height (m))	

v. Building & Constructional Details

Details	Standard Parameters	Proposed by promoters	Deviation if any
Type of Building Construction (Load bearing construction)	Promoter to Specify whether building construction is RCC civil OR PEB with insulated panels		
	Promoter to Specify whether walls are constructed with civil	External Walls	
External walls / Internal walls/ partition walls of cold store chambers	works with insulation slabs fixed on the walls as IS: 4671 / IS: 13205 OR Pre- insulated panels are used.	Internal Walls Partition Walls	
Roof / Ceiling construction	Promoter to describe external roof construction and whether insulation slabs fixed on ceiling as IS: 4671 / IS: 13205 OR Pre- insulated panels are used.		
Lighting Fixtures in cold chambers	Fluorescent /CFL / LED lights with IP-65 fixtures		

External/Compound Area	Promoter to specify construction details of external and compound area including provision of parking area	External/ Compoun d Area details Parking area details	
Others			

vi. Insulation and VAPOR Barrier Details

Option- 1:Expanded Polystyrene Sheet (EPS)

Type of Insulation		Standard Parameters	Proposed by Promoters	Deviation if any
External Wall	Thickness	150 mm		
	No of layers	two layers each layer 75 mm thick with staggered		
Partition wall	Thickness	75 mm both sides of partition wall		
	No of layers	Single layer		
Ceiling	Thickness	150 mm		
	No of layers	two layers each layer 75 mm thick with staggered		
Floor	Thickness	125 mm		
	No of layers	two layers (75 mm+50mm) with staggered		
Density		16± 2 kg/ m ³		
Thermal Conductivity (k 10 °C (mean temperatur		0.036 W/m ⁰ K		
U value (W/m ^{2o} k) for 10 insulation	0mm thick	0.36 (W/m ² °k)		
Thermal diffusivity (m ² /h)		1.5- 1.70 × 10 ⁻⁶		
Relevant IS Code		IS:4671		
Vapor Barrier Specificat	ion			
a) External Wall/ In	ternal Wall /	Aluminum foil (50 micron)		
b) Floor		250 Micron thick Polythene sheet		
Specification on Claddi	ng			

a) External Wall/ Internal Wall / Ceiling	0.5 mm thick (tct) Micro Ribbed pre painted GI sheet	
CCIIIIg	in off white colour (RAL-	
	9002) conforming to IS:	
	14246:95.	
b) Floor	 a) Tar-felt of thickness ≥ 2 mm thick (ISCode: 1322-1993) 1ith 10% overlap on top insulation with hot blown bitumen. b) ≥ 100 mm thick Tremix flooring above Tar-felt 	
Relevant Is Codes:	with M-25 grade RCC.	
Expanded Polystyrene for thermal Insulation	IS: 4671	
Code of practice for application of thermal insulation in CS	IS:661	

Option-2: Composite PUF Panels/ Rigid RPUF

Type of Insula	ation	Standard Parameters	Proposed by Promoters	Deviation if any
Specification on Composite PUF Panel for walls and ceiling		Composite PUF Panel cladded with 0.5 mm thick (tct) Micro Ribbed pre painted GI sheet in off white color (RAL-9002) conforming to IS:14246:95 and with tongue and groove joints with or without cam-locks .		
External Wall	panel Thickness	100 mm		
Partition wall	panel Thickness	Min. 50mm		
Ceiling panel	Thickness	100 mm		
Floor	Thickness	100 mm thick		
	No of layers	Two (50 mm + 50 mm) with staggered joints		
Density		40 ± 2 kg/ m ³		
	ductivity (k-value) at + emperature) in W/m ⁰ K	0.023W/m ⁰ K		
U value (W/m ^{2o} k) for 100mm thick insulation		0.23 (W/m ² °k)		
Thermal diffusivity (m²/h)		0.38 - 0.41 x 10 ⁻⁶		
Relevant IS Code		IS:12436		
Vapor Barrie	r Specification			
a) Floor		250 Micron thick Polythene sheet		

Specification of cladding on Floor insulation		
a) Floor	 a) Tar-felt of thickness ≥ 2 mm thick (IS Code: 1322-1993) 1ith 10% overlap on top insulation with hot blown bitumen. b) ≥ 100 mm thick Tremix flooring above Tar-felt with M-25 grade RCC. 	
Relevant Is Codes:		
Pre-formed rigid polyurethane foam for thermal insulation	IS: 12436	
Code of practice for application of thermal insulation in CS	IS:661 / IS 13205	
Others		

vii. Storage Chamber Insulation & Details

Chamber number	Ceiling Thickness (mm)	External wall thickness(mm)	Internal wall thickness(mm)	Floor insulation thickness(mm)	Internal dimension (L x B x H) m
1					
2					
3					
4					
5					
6					
7					
8					
Standard	Standard insulation	parameters are	provided at para v	/i - Option-A and Op	tion –B above.
Parameters	Promoter to follow	these.			
Deviation if	To be listed here.				
any					

viii. Cold Store Doors & Air Curtain/ Strip Barrier

Chamber number	Number of Doors	Door Opening (w x h) m	Thickness (mm) & U value in W/ m ²⁰ K	Strip curtain or Air Curtain	Opens to (Ante room or out - side)
1					
2					
3					
4					
5					
6					
7					
8					
Standard Parameters Deviation	2400 mm b) If operation Door may 2100 mm c) Air Curta Air curtain deodorizion d) Strip Curta Overlap s	on manually: be either Sliding to (H) x 100 mm in: n shall be able to is ng and insect – processin) x 100 mm thick are type or Hinged type colate cooling or he pof characteristic an	e of size: 1200 mn	n (W) x 2000 mm / sure dust- proof
Deviation if any	To be listed here.				

ix. Heat Load Estimation Input

Type of inputs	Chamber Group – 1	Chamber Group -2	Chamber Group -	Chamber Group -4
			3	

Product Stored					
Storage Temp. ⁰ C					
Storage remp. c					
5 1					
Relative Humidity in					
%					
Air Circulation rate					
in (CMH)					
, ,					
Specific Heat of					
product in kj/ Kg					
product in kj/ kg					
Heat of Descination					
Heat of Respiration					
during loading/ pull					
down in mW/ kg					
Heat of Respiration					
during Holding/					
storage in mW/ kg					
Daily door opening					
bany abor opening					
Estimated mass of					
products to be					
loaded and unloaded					
daily					
(MT)					
Ante Room are					
conditions (°C)					
33/14/15/15 (6)					
Special provisions					
(describe)					
(uescribe)					
Chandand B					
Standard Parameters					
	Thermal Properties of Foods may be used as given in Table- 3 & Table-9 of Chapter -9-				
	Ashrae .Handbook-Refr	igeration (SI) -2006 an	d or WFLO hand bool	K.	
Deviations if any					

x. Fresh Air Ventilation System

Type of inputs	Standard Parameters	Proposed by Promoters	Deviation if any
Number of Fresh air changes	6/4/2		
Brief Description of Fresh air Ventilation system.	Mechanical CO ₂ extractor with energy recovery system with atleast 70% efficiency		
CO ₂ Concentration control range (PPM)	2000-400		
Monitoring & Control Instrument	CO ₂ sensors for regulation of ventilation system including temperature and RH indicator & controllers, preferably overall control of all parameters with PLC control system.		
Explain heat recovery system if used.	Heat recovery wheel (HRW) preferably desiccant based rotary heat exchanger offering both sensible and latent efficiencies equally.		

xi. Heat Load calculation of Cooling System-Summary.

Description	Standard Parameters	Proposed by Promoters	Deviation if any
Dry Bulb temperature (DB)	Peak conditions are normally based on summer;	Summer- DB	
Wet Bulb Temp.(WB)	hence specify summer DB & WB Temperature. Summer	Summer – WB	

Note: The temperatures are location specific based on ISHRAE/ASHRAE Hand Book.

Description	Details	Deviation if any
Building Dimensions (External)		
LX W		
Total Capacity of the Storage (MT)		
Number of the Chambers		

Refrigeration Load	Peak Load (kW)	During Holding(kW)	Deviation if any
Transmission Load (kW)			

Product Load incl (kW)	luding respiration load			
Internal Load (kW)	Lighting Load			
,	Occupancy Load			
Infiltration load (KW)			
Ventilation / Fres	Ventilation / Fresh Air refurbishment			
Equipment load – Evap. Fan Motor , MHE etc. (KW)				
Total Load of Ante Room (KW)				
Total Load (kW/24 hrs.)				
Total Load with safety margin and compressor operation				
Doubleslave	On another Berind	Chandard Davasantara	Duamagad hu	Davistian if

Particulars	Operation Period	Standard Parameters	Proposed by Promoters	Deviation if any
Compressor operation -	Pull down Period	≤ 20 Hrs. / day		
Hours/ Day	Holding Period	≤ 20 Hrs. / day		
	Defrosting Period	≤2 Hrs./day		
	Multiplier (Safety Factor)	5-10%		

Total Refrigeration Load	Peak Period (kW)	Holding Period (Kw)

Cooling System Design Detail

xii. Cooling system Configuration: Mechanical Refrigeration (Describe)

Description	Standard Parameters	Proposed by Promoters	Deviation if any
Type of Refrigerant	Ammonia/ Ammonia with Propylene Glycol as secondary refrigeration. In case of HFC, use R-134 a, R-404a etc.		
Total Refrigeration system Capacity (kW)			
Type of System	DX type with Gravity Feed or HFC refrigerant and Liquid		

	Overfeed System with Ammonia liquid pump	
Type of Compressor	Reciprocating / Screw Compressors as per load requirement and type of system used.	
Type of Capacity Control	Automatic in Step	
Specify unloading steps in %	Based on Compressor size	
a. For 2 cylinder compressor	50% and 100%	
b. For 3 cylinder compressor	33%, 67% and 100%	
c. For 4 cylinder compressor	50%, 75% and 100%	
d. For 6 cylinder compressor	33%, 67% and 100%	
e. Screw Compressors	10% to 100%	
Type of Condenser	Atmospheric/ Evaporative /Water cooled / Air Cooled	
Cooling Towers (if applicable)	Natural Draft/ Induced draft , preferably with FRP body.	
Type of Evaporators/ Air Cooler	a) Ceiling Suspended/Wall mounted type. with SS-304 Coil & aluminum fin with fin spacing 6.25 -8.5 mm and axial fan preferably blowing fans with air throw as per chamber size, unit casing-GS sheet for Ammonia application with VFD b) For HFC refrigerant use Copper coil.	
Type of Defrosting	Air/ Water/ Hot Gas / electric	
Humidification System & Control	Preferably With Coil only. However, in case humidifier is used, provide complete details with operational parameters.	

Refrigeration Equipment Details

xiii. Compressor /Rack Detail

Compressor/Racks	Standard Parameters	Proposed by Promoters	Deviation if any
Quantity	3 No. each of 50% capacity (2 Working during Loading/ Pull down and one preferred as		

	standby) in case of ammonia.		
	For HFC , either rack system of		
	compressors or individual		
	condensing units for each		
	chamber if load requirement/		
	chamber is less and cost		
	effective.		
Make & Model			
RPM			
Operating	Operating parameters to be		
Parameters	decided with cold store		
	temperature and RH		
	requirement with SST as 2 °C		
	& 38/40°C DST during pull		
	down and SST to be decided		
	based 4 TD during holding for		
	maintaining RH ≥ 85%.		
Refrigeration Capacity			
at 2°C SST & 38/ 40°C			
DST (during loading /			
pull down			
Power consumption			
in BkW at 2°C SST &			
38/ 40°C DST (during			
loading / pull down			
Refrigeration Capacity at operating			
-10			
parameters (during Holding)			
Power consumption			
in BkW at -			
operating			
parameters (during			
Holding)			
Total Connected			
Motor			
(KW)			
Remarks/Standby			
,			
L	•	•	•

xiv. Condenser Details

(Air / Water cooled condenser with recommended parameters)

- a) For Atmospheric: Consider 20 -21 KW heat rejections / stand of 6 m Long and 12 nos. 50 NB pipe i.e. 72 m long pipe / stand ,
- b) Consider water circulation @ 6 LPS / 100 KW of heat rejection

Operating	Condenser	Electric	Total	Remarks
Parameters	Heat	Fan/Pump	Electric	Working/Standby
_	-	•		
		(kW)	(kW)	
•	(KW)			
•				
(C)				
	Parameters Condensing Temp. (CT) WBT, water in/out Temp (°C)	Condensing Rejection Temp. (CT) Capacity WBT, water (kW) in/out Temp	Condensing Rejection Motor Rating Temp. (CT) Capacity (kW) WBT, water (kW) in/out Temp	Condensing Rejection Motor Rating Power Temp. (CT) Capacity (kW) WBT, water (kW) in/out Temp

xv. Cooling Tower Details (if applicable) (Recommended FRP Type)

Cooling Tower-Type, Make & Model	Qty.	Operating Parameters Condensing Temp. (CT) WBT, water in/out Temp (°C)	Cooling Tower Capacity (kW)	Fan &Pump capacity (CMH/LPS) & Motor (kW)	Total Electric Power (kW)	Remarks Working/Standby

xvi. Pressure Vessel

- a) Recommended storage volume of HP Liquid Ammonia Receiver = 7.85 L/ KW of refrigeration load, to be designed and testing of the pressure vessel should comply with ASME Sec VIII Div1.
- b) Refrigerant Circulation for overfeed / pump circulation 1:4

Description	Type- Horizontal / Vertical	Refrigerant	Operating Temp. & Pressure	Description Shell, Dish Ends & Nozzles	Total Refrigeration load	Holding Volume
Lowpressure						
High pressure						

xvii. Evaporating Cooling coil Unit/Air Cooling Units (ACU)

ACU Type Make & Model	Nos.	Operating Parameters Evap. (SST) & TD * (°C)	Cooling Capacity (kW)	Air Flow (CMH) & Face Velocity (m/s)	Material of Coil Tubes & Fins	Fin Pitch (mm)	Total Fan Electric Power (kW)

Note: Air cooling units shall be provided with VFD

(*TD is the Temperature difference between Evap. (SST) ⁰ C & Return Air temp. ⁰C at coil inlet).

xviii. Electrical Installation

Description	Details
Total Connected load (kW)	
Estimated power requirement at peak load period (kW)	
Estimated power requirement at Holding Load period (kW)	
Capacity of Transformer (KVA)	
Size of Capacitor	
Make & Capacity of standby D.G. Sets (nos. and kVA)	

- Main electric power distribution panel equipped with change over facility shall be provided
- Control panel for refrigeration system, lighting & fan, APFC, Water supply & firefighting shall be provided
- Electrical earthing shall be provided

xix. Material Handling procedure

Procedure	Details	Proposed by Promoters	Deviation if any
Material Handling Procedures & equipment	Manual/Conveyor		
Capacity of Mechanized belt conveyor (kW) if any-Rating of motor			
Any Other Device please specify			

xx. Safety provisions: Mandatory

Descriptions	Standard Parameters	Proposed by Promoters	Deviation if any
Fire Fighting equipment installed as per Fire safety standards of State Fire Department	Attach fire safety standards of State fire department		
Handling measures for Refrigerants and Leaks installed	 Ammonia sensors in cold chambers near ACUs & machine room; Emergency ventilation for machine room; Safety release of refrigerant to water sump; Ammonia masks; First aid kit; Instructions for handling emergencies. Handling measures As per code of safety IS 4544 		
Safety devices - LP! HP cut outs, safety valves, shut off valves etc. installed	Solenoid based cutouts, Ammonia valves as per IS 11132, Switches near all cold store doors and alarms located in common public areas, as per NHB norms		
HP Pressure Vessel	Water Sprinkler pipe		
Emergency lighting in Cold Chambers & others areas installed	Solar PV cells with batteries & controller		
Lightening arrestors installed	As per regulations		
Machine room ventilation system for self containing	Exhaust Fans		
Any other safety provisions (describe)			

xxi. Energy Saving Equipment & Measures

Details of Energy	Standard Parameters	Proposed by Promoters	Deviations if any
Saving Devices			
Light Fixtures	Lighting Fixtures		
	Fluorescent /CFL/LED with		
	IP-65 protected fixtures		
Natural Lighting for	With glass windows on		
general areas	walls		
VFD/ Electronic	Capacity control using		
Technology for	compressor cylinder		
fans/Compressors	unloading		
' '			
Refrigerant Controls			
and Automation	PLC panel with data logger		
	as per NHB norms		
Air Purger'	Manual purger valves at		
J	receiver and condenser		
Power Factor	Automatic Power Factor		
Controller	Controller (APFC)		
Energy recovery	Energy wheel with 70 %		
	recovery ,		
PLC Control & Data	To be		
Acquisition			
Any other			
Components			

xxii. Summary of estimated Electrical operating Load

Equipment	(Peak Period) - BkW	Holding Period - BkW
Compressors		
Condenser Pumps		
Air Cooling Units		
Internal Lighting		
Liquid Pump		
Total Operating Load (BkW)		

xxiii. Estimated Performance Parameters of Proposed Cold Store

Parameters	Standard Parameters Proposed by Promoters		by Promoters	Deviation if any	
	Peak	Holding	Peak	Holding	
	Period	Period	Period	Period	
Coefficient of Performance (COP) of the cold store unit	>3.5	>3.2			
Power Consumption (kWh/day) considering diversity factor 0.8					
Prevailing Electricity Cost (Rs/ Kwh)					

xxiv. Brief Description of any other technologies or Infrastructure used

Details	Proposed by Promoters
Refer Trucks operated (if any)	
Specialized Packaging Lines (if any)	
PLC Automation (if any)	
Dock levelers systems (if any)	
Alternate energy options (if any)	
Modern Pack –house (if any)	
Others	

xxv. Drawings, Heat Load calculations and Technical details of Equipments

Details	Provided by Promoters (Yes/No)	Deviation if any
Plan & layout of the proposed cold store unit approved by registered Architect		
Detailed heat load calculation sheets of the proposed cold store unit in accordance to be prescribed technical standards and guidelines duly approved by a qualified engineer		
Detailed Technical Data sheet of following equipment		
a. Refrigeration compressor		
b. Evaporating Coil		

CA TENT

Sl.No	Component:: CA Tents	Description	(refer	sample	sheet)
1	Name of Manufacturer				
2	Material Used (describe)				
	(describe)				
3	Number of layers / thickness				
	thickness				
4	Dimensions				
5	Capacity of Gas cylinder / CA				
	_				
6	Air sealing mechanism (desribe)				
	(destibe)				
7	Atomphere control &				
	analysis				
8	Pressure relief value				
0	riesbure refret varae				
9	Piping connections				

10	Number of Air Sampling lines	
11	Internal fan/Blower rating	

Component: PLC Control System for Refrigeration Plant:

Component: Programmed LogicControls	Description
Design & Construction	
Name of Provider	
Processor system	
Number of Input (IU)/ Number ofOutput	
(OU)	
Type of Report generation	
Refrigeration Plant Controls	Refrigeration Control included: Yes/No
Compressor	
Compressor rack control	
Condenser fans	
Evaporator fans	
Water Circulation pump	
Liquid ammonia circulation pump	
Glycol PHE and Circulation Pumps	
Defrost control	
Liquid Level Controls	
Describe Controls of levels switches ,	
valves , relays, breaks	
Other if any	
Room parameters Controls	
Temperature	
Relative Humidity	
CO ₂ , O ₂ and Ethylene levels	
Any Others	
Plant Safety Operation	
Compressor Protection	
Evaporator Fan Control	
High Condensing Pressure Alerts	
Maximum and minimum temperature	
alarm	
Back up pressure probe	
Discharge temperature Monitoring	
Protection against low suction super heat	
	Design & Construction Name of Provider Processor system Number of Input (IU)/ Number ofOutput (OU) Type of Report generation Refrigeration Plant Controls Compressor Compressor rack control Condenser fans Evaporator fans Water Circulation pump Liquid ammonia circulation pump Glycol PHE and Circulation Pumps Defrost control Liquid Level Controls Describe Controls of levels switches , valves , relays, breaks Other if any Room parameters Controls Temperature Relative Humidity CO ₂ , O ₂ and Ethylene levels Any Others Plant Safety Operation Compressor Protection Evaporator Fan Control High Condensing Pressure Alerts Maximum and minimum temperature alarm Back up pressure probe Discharge temperature Monitoring

27.	Any Other	

Component : Dock Leveler System

	Component: Dock	Recommended	Offered by promoter	Deviation if any
S.Nos.	Leveler System	Parameters		
Α	DOCK LEVELERS			
1.	Name of Manufacturer			
2.	Type of operation	Hydraulic / Mechanical		
3.	Ramp- Platform			
4.	Number of cylinders			
	Platform size (W x L)			
5.	meters.			
	Max vertical Lift up &			
6.	down in mm			
7.	Load capacity (tons)			
	Plinth height of facility			
8.	(meters)			
9.	Control Panel			
	Standard safety			
10.	provisions			
11.	Emergency stop switch			
	Dock pit dimensions			
12.	(meters)			
13.	Power Consumption			
В	DOCK DOORS			
	Manufacturer and			
14.	model			
	Dimension of Door			
15.	opening			
	Loading area			
16.	temperature (°C)			
	Insulation-material,			
17.	thickness and U value.			
18.	Safety Provision			
C.	DOCK SHELTER			
	Name of Manufacturer			
19.	and model			
20.	Dimensions			
21.	Sealing Material & type			
22.	Bumper			
23.	Safety Provision			

i. WDRA – NWR EQUIPMENT

S. Nos.	Component: WDRA-NWR Equipment	Recommended Parameters	Offered by promoter	Deviation if any
1	Computer Type / Quantity	Manufacturer & Model and hardware / software		

		configuration for each to specified	
2	Printer type	Manufacturer & Model to specified	
3	Type of produce	Specify here type of cargo that shall be handled and annual quantity that will be issued NWR	
4	AMC	Promoter to specify AMC details	
5	WDRA accreditation	Promoter to specify application number, date of applying and the date on which accreditation was granted	
6	Storage capacity (m3)	Specify here volumetric storage capacity available.	

SPECIALISED PACKAGING

Sl.No	Component:: Specialised Packing	Details (refer sample sheet)
1	Name of Manufacturer	
2	Feeding line	
3	Strong Grading unit	

4	Weighing Machine	
5	Final Packing	
6	Traceability system	
7	Labelling System,	
	Printing	
8	Throughput capacity	
9	Total Power	
	consumption (KW)	
וששששש	CONTATNED	

REEFER CONTAINER

Sl.No	Component:: Reefer	Description (refer sample sheet)
	Contanier	

	T	
1	Container dimensions	
2	Insulation details- thermal conductivity and thickness	
3	Tare weight (Kgs)	
4	Gross weight (Kgs)	
5	Temperature recording type	
6	GPS System	
7	Refrigeration capacity (Kw)	
8	Refrigernat used	
9	Fresh air exchange	
10	Diesel / elecric auto-switching	

11	Air flow cum / hr(CFM)	
12	Temperature control precision +/-0C	
13	Name of Manufacturer	
14	Year of manufacture	
15	Any design enhancement	

Component : Advanced Grader

S. Nos.	Component: Advanced Grader	Description
1	Produce	
2	Weight Sorting / Grading	
3	Colour Sorting / Grading	
4	Optical/Acoustic DiameterGrading	
	IQS (Intelligent	
5	qualitySorting/Grading)	
6	Safety Precautions	
7	Output capacity (units/hr. ortons/hr.)	
8	Power consumption (kW)	
9	Name of manufacturer	
10	Year of manufacture	

Component: Stacking System

S. Nos.	Component: Stacking System	Description (Refer sample datasheet)
Α	Bins	

1	Name of Manufacturer	
2	Material of construction	
3	Load capacity (kg)	
4	Storage volume (L x B x H)	
5	Stacking Height (meters)	
В	Pallets	
1	Material & working load(kg/tons)	
2	Dimensions (L x B x H) m	
3	No of cartons per pallet	
4	Type of access	
С	Racking System	
1	Name of Manufacturer	
2	Type of racking system	
3	Design over view Rack	
4	Material Construction	
5	Number of tiers	
6	Net Storage capacity	
7	Load bearing weight per position	

RETAIL SHELF

	L SHELF	
Sl.No	Component:: Retail	Description (refer sample sheet)
	Shelf	
1	Name of Manufacturer	
2	Туре	
3	Produce to be handled	
4	Capacity (m³)	
	capacity (m)	
5	Dimension-floor area	
	and height	
6	Electronic used	
	(describe)	
	(33231123)	

7	Temperature Range	
8	RH Control	
9	Lighting system (KW)	
10	Total Refrigeration	
	capacity(kw)	
11	Refrigerant used	
	Refrigeranc asea	
12	Energy consumption	
	(KW)	
13	Years in business in	
	food retail	

ii. ALTERNATE TECHNOLOGY

S. Nos.	Component: Solar Photo Voltaic (SPV)	Recommended Parameters	Offered by promoter	Deviations if any
1	Name of Manufacturer	Specify manufacturer's name		
2	Make and model no.	Specify make & model		
3	Total shadow free area (m²), total area occupied by PV panels (m²)	Provide details of shadow free south facing area and total area		

		occupied by PV Panels in (m²)	
4	Total Load to be energized (kW and describe)	Provide details of loads to be energized if any – not necessary when connected to grid.	
5	Storage battery capacity (Ah)	Provide total battery capacity that shall be used to store the energy generated in Amp- Hours , if applicable	
6	Battery Backup (hours)	Provide details of battery back up in hours	
7	Grid interactive	Provide Grid metering rate for facility	
8	Energy generation (kWh)	Provide expected annual / monthly energy generation in KWh.	
9	Grid Electricity Availability (hours)	Provide details of number of hours electricity is available at the facility.	
10	Total SPV Capacity (kW)	Provide total SPV (Solar Photo Voltaic) capacity in KW.	
11	Power of single PV panel (Watt) and total number of panels installed.	Specify power in Watts of single PV Panel and total number of panels installed.	
12	Total array size (kW)	Specify number of panels in a single array.	

Solar Thermal

Sl.No	Component:: Solar Thermal	Description (refer sample sheet)
1	Name of Manufacturer	

2	Make and Model No.	
3	Type of System	
4	Capacity (litres/day)	
5	Type of Tank Material and thickness	
	and thickness	
6	Insulation material	
	and thickness (mm)	
7	Heat Euchangen	
/	Heat Exchanger Available	
8	Total number of collector panel	
	-	
9	Dimension per collector panel (1 x	
	w)	
10	Total Area Covered	
	(m ²) by collectors	
11	Open Loop / Closed	
	Loop System	

Thermal Banks

Sl.No	Component:: Thermal Banks	Description	(refer	sample	sheet)
1	Name of System provider				
2	Describe system design				
3	PCM material				
4	Phase change temperature (°C) and latent energy (KW)				
5	Application - describe use planned.				
6	Backup period (hours)				
7	Mass of PCM (kgs or tons)				
8	Total Thermal Energy Bank (KW)				
9	PCM encapsulation				

10	Time to fully Charge the PCM	
11	External energy input (describe and specifications)	

VAPOUR ABSORPTION

Sl.No	Component:: Vapour Absorption	Description	(refer	sample	sheet)
1	Name of Manufacturer				
2	Make and Model No.				
3	Capacity (KW)				
4	Refrigerant used				
5	Absorbent used				
6	Temperature of Chilled water (°C)				
7	Temperature of hot water (°C)				
8	Temperature of condensate (°C)				
9	Describe Heat Source & heat engrgy (KW)				

10	Inlet / outlet	
	Pressure drop (kPa)	
11	Elecrical Consumption	
	Electical consumpcion	
12	Type of vapor	
	Absorption machine	
13	System use (describe	
	total load required	
	and application of	
	this system)	

xxvi. Codes & Standards Followed

SI No	Details	Relevant Codes	Complianceby Promoters (Yes/No)
1	Building Design & Structures (Pre Engineered Building)		
a.	b. Building Code	IBC 2006	
C.	d. Design code	AISC 2005	
e.	f. Tolerance Code	MBMA 2002	
g.	h. Purlin code	AISI 2001	
i.	j. Welding code	ANS 2006	
k.	I. Wind Load & Seismic load	IS 875 & IS A893-2002 & Relevant Codes	
2	Construction Materials	Relevant IS Codes for various construction materials	
3	Thermal Insulation & Application	IS 661, IS 12436 & IS 4671	
4	Refrigeration Equipment & System	Relevant IS code for different equipment	
5	Electrical & Mechanical System	and the first of the second	
a)	PVC insulated cables (light duty) for - working voltage up to & including	694-1990, Part-I & II	

	1100 volts		
b)	PVC insulated cables (heavy duty) for Voltage up to 1100 volts	1554-1988 Part- I	
c)	Guide for marking of insulated conductors	5578-1984	
d)	Code of practice for earthing	3043-1987	
e)	Recommendations on Safety Procedures and Practices in Electrical Work - Part I: General	5216-1982 Part - I	
f)	Recommendation on Safety Procedures and Practices in Electrical Work - Part II: Life Saving Techniques	5216-1982 Part II	
g)	Code of practice for selection, installation and maintenance of Switchgear and Control gear	10118-1982 Part I,II,III,IV	
h)	Code of Practice for Electrical Wiring Installations	732-1989	
i)	XLPE Cables for working voltage up to and including 1100 Volts	7098- 1988 Part -l	
j)	Specification for Electric Power Connectors	5561- 1970	
k)	Methods of Test for Cables	10810 - 1984	
l)	National Electrical Code	SP-30	
m)	Others	Equipment specific codes for all items as per list given in NHB – CS-Type-01-2010 Standards	

Project declares compliance with all mandatory codes and regulations are complied with

(Signed by applicant)

6.2. Automation Services if any

1) Measurement Systems

	Parameter	Instrument	Frequency of reporting	Remarks
1.	Air Temperature			
2.	Relative Humidity			
3.	Co2			
4.	Ammonia			
5.	Freon			
6.	Ethylene			
7.	Oxygen			
8.	Pathogens			
9.	Fire & Smoke detection			
	System			

2) SMS & Email Alerts: The Authorized person of company will receive on instant SMS and Email alert whenever there is movement of stock in our cold storage.

3) Online Stock details

- **4) Air monitoring SMS:** The authorized person in your company will receive a daily SMS on temperature and relative humidity at regular intervals.
- **5) Online Air Monitoring System:** The authorized person in the company can view online temperature and relative humidity of each chamber.
- **6) Monthly Inventory report:** The authorized person in the company shall receive product wise monthly inventory report.
- 7) Monthly Air monitoring Data logger sheet: The authorized person in the company shall get temperature recording info of every hour 24X7 for that month.
- 8) Phone aap- Growers & clients have the privilege to check the temperature and Rh in the storage of their stock at the press of a button in their phone.
- 9) Inventory Day report:- System generated day report across all location in one mail is sent to the clients.
- **10) Weekly Inventory report:** The authorized person in the company shall receive weekly inventory report.
- **11) Weekly Space monitoring report:** The authorized person in the company will get space utilization report in which client get an idea about total allotted space, utilized space & how much is vacant space.

6.3. COLD STORAGE PROTOCOLS- COMMODITY WISE

Commodity 1	
Commodity.1	(2021 (2021
Protocol	(R&D Institution/ Company)
developed by	
Protocol details	
Proposal by the	
applicant	
Deviation if any	
with justification	
Commodity.2	
Protocol	(R&D Institution/ Company)
developed by	
Protocol details	
Proposal by the	
applicant	
Deviation if any	
with justification	
Commodity.3	
Protocol	(R&D Institution/ Company)
developed by	(Nab institution, company)
Protocol details	
Proposal by the	
applicant	
Deviation if any	
with justification	
Commodity.4	
Protocol	(R&D Institution/ Company)
developed by	
Protocol details	
Proposal by the	
applicant	
Deviation if any	
with justification	

7. Food Safety

(Includes GMP, HACCP, Allergen, Sanitation, Product Tracking and Recall Preparedness Programs etc.)

7.1. Quality Assurance Plan

- Quality factors for fresh fruit and vegetables are defined by hygiene and quarantine factors(e.g. parasites larvae, pupae, natural toxicants, contaminants, spray residues, heavy metals etc.), Cosmetic appearance: size, weight, volume, dimensions, shape, regularity, surface texture, smoothness, waxiness, gloss, colour, uniformity, intensity, spectral, physical defects, (splits, cuts, dents, bruises), texture (firmness, hardness/softness, crispness, mealiness-grittiness, fibrousness toughness), flavour factors (sweetness, sourness, astringency, bitterness, aroma, off-flavours, off-odours) and nutritional (dietary fibre, cancer inhibitors, carbohydrates, proteins, lipids, vitamins, minerals).
- Pre-storage treatments
- Sorting/ grading
- Washing/ Disinfection
- Fungicide or other treatments (physical or chemical)
- For fruits and vegetables quality two parameters should be monitored carefully (i) Chemical (pesticides, toxins and contaminants such as lead, cadmium, nitrate, etc.) residue and (ii) Micro biological infection.

S. No.	Name of	Chemical r	esidue test	Micro	biological	test F	OR
	Fruits/Vegetable			FOODE	ORNE PA	THOGEN	S
				(E. col	i, Listeria,	Salmone	ella,
				Shigella	, Vibrio, et	c.)	
		Observe	Safe limit	Observe	value	Safe limi	t
		value	(MRL or ML for	(No.)		(No.)-	Nil
		(µg/kg)	different			for	
			pesticides/			pathogen	S
			toxins/				
			contaminants)				
			(µg/kg)				
1							
2							

- Quality of produce: It is good to know the history of produce such as product maturity, prior goods preparation, previous quality inspections like colour, firmness and taste and produce grading. Produce must be tested for chemical residues, nutritional factors and microbial load before storing. Before storing and when rotating stock, it is important to remove rotting fruit from cases as one piece can affect others. The chain reaction can quickly destroy the quality of a whole case of fruit.
- **Stock control:** All the produce must be checked for proper packaging on delivery. Tightly packed pallets should also be avoided as crushing can occur, leading to the development of bacterial growth. Packing should be such that there is enough room for the internal fan to distribute cool air freely inside the produce Other parameters like microbially spoiled and physically damaged produce must be segregated from the disease free and sound produce for proper shelf life extension of produce in cold stores.

- Audits and procedures: Clear procedures i.e Standard operating procedures (SOP's) must be prepared and kept in place to protect temperature sensitive products. All the factors like required temperature for each produce, pre-cooling before loading, and following food-grade inspection processes must be taken into account. All the SOP's must be precise and clearly understandable to all.
- Storage: Certification of cold storage facilities and equipment must be ensured. An independent third-party firm should regularly certify any facilities storing temperature-sensitive products to verify that they are clean and that their daily operations comply with the appropriate food safety requirements. Continuous temperature monitoring systems are available that can keep track of changes in refrigerated storage temperatures, providing alerts to employees whenever something is wrong. Advance warning is a good option to fix the things before problems occur. Thermometers should be properly calibrated for cross-checking the cold store temperature and produce temperature.
- Self-audits: Self-audits must be conducted monthly to verify employee training and practices, to ensure compliance of food industry requirement for pest control, warehouse sanitation, temperature control monitoring etc.

Details	of	Name	of	Tested Parame	ters and results	Protocol/
Laboratory		Fruits/Vegetable				Technology /Equipments used
				Chemical residue test	Micro biological test	

- Quality Assurance Plan components:
 - 1. Quality Objective
 - 2. Management reviews
 - 3. Standards and Guidelines being followed
 - 4. Risk Managements
 - 5. Supplier control
 - 6. Audits and Corrective Action
 - 7. Quality Records
 - 8. Training

7.2. Quality Certification

- HACCP
- ISO 22000
- ISO 9001

7.3. SPS (Sanitary & Phyto Sanitary) Protocol

- Site history and site management
- Propagation material
- Soil management
- Irrigation and fertigation

- Harvesting
- Produce handling
- Workers health and safety
 Waste and pollution management
- Record keeping and internal self assessment/inspection
- Product Criteria
- Quarantine System
- Sampling & Methods of risk assessment
- Packaging & Labelling requirement

7.4. Sanitation, Hygiene and Safety

- Safe cleaning and maintenance: All the shelves and walls of cold stores must be properly clean and in good condition. The cleaning chemicals must be documented, used and stored properly. All the lightning and ventilation aspects must be covered properly. At leat once in a year the entire cold stores should be fumigated with safe chemicals for avoiding any risk of microbiological contamination. Surrounding areas should also be checked regularly for cleanliness. Cleaning schedule and methods for cold stores be properly documented. Any signs of pests like mice and flies should be checked and taken care of.
- Personnel Hygiene: All the personnel staff dealing with cold stores should be properly trained for personal hygiene like proper hand washing. Hot water, soap, paper towels and pedal bins should be present at every wash basin.
- Use of Approved Cleaning & Sanitizing Agents
- Use of Protective Personnel Equipment's
- Separate & Segregated storage of Chemicals

7.5 Cold Storage Sanitation

- Cleaning Procedure
- Cleaning Schedule
- Monitoring & Measuring Effectiveness
- Record Keeping

7.6 Waste Management System

- Segregation of Waste as Hazardous & Non-Hazardous
- Separate Bins
- Waste Removal

7.7. Safety of Personnel

- Use of Personal Protective Equipment
- Safe Handling of Products

7.8 Training of Cold Storage Operators

- FoSTaC Training
- HACCP/GMP/GHP/GWP Training & Evaluation

7.9 Statutory requirements

didiory requireme	
Statute	Approving Government Agency
	Food Safety and Standards Authority of India
Factory Act	
Broiler Act	
Air Pollution	
Act	
Water	
Pollution Act	
Environment	
Act	
Provident	
Fund Act	
	Horticulture Department
	Factory Act Broiler Act Air Pollution Act Water Pollution Act Environment Act Provident

8. Traceability

All traceable items must be uniquely identified and this information is shared between all affected supply chain partners. A traceable item can be: a product or traded item (e.g. case/carton, consumer item), a logistics unit (e.g. bin, container) and a shipment or movement of a product or trade item. , the identification of products for the purpose of traceability requires: i) The assignment of a unique GS1 Global Trade Item Number (GTIN) ii) The assignment of a batch/lot number. When a product is reconfigured and/or re-packed, the new product must be assigned a new unique product identifier (i.e. GTIN). A linkage must be maintained between the new product and its original inputs. Following traceability information must be supplied:

- Logistic unit identifier
- Commodity name and, where applicable, variety name
- Trading partner/buying party
- Ship from location identification
- Ship to location identification
- Date of despatch/shipment
- Grower records details related to growing/production (e.g. field, seeds, details of production inputs)
- Backward & Forward Traceability of Product

Name of	Whether pesticide	If used the name of	Enclose Test report
Fruits/Vegetable to	are used during	pesticide	for chemical residue
be store in the cold	farming or not		and micro biological
storage			test

Innovation (If Any)		

12.	List of documents to be submitted:

11.1.Declaration by Cold Storage Expert/ Mechanical Engineer

I have read and understood the latest NHB Schemes operational guidelines and made the applicant understand the same.

In case IPA is issued for the project, I am willing to guide the growers of catchment area for scientific crop husbandry and pre-and post-harvest practices for food safety. In such instance I will render my services.

The project is technically feasible and economically viable and is bankable.

Certified that the information/contents as above furnished by me/us in the application are true to the best of my/our knowledge & belief and nothing material has been concealed.

My details are as follows:

Name of Horticult	urist	(Could be any working or retired faculty / scientist in ICAR/ CAU/SAU/SHU/Central/State Horticulture Dept. or ICAR Agri/Horti-business incubators)
Current/ previous	profession:	Dept. of Territ right for the desiness incubators)
	•	
Educational qualif	ication and	
University passed	out	
Registration numb	er if any	
Permanent address	s:	
Contact Number: Tel		
	Mobile	
	Email	

Place	Signature
Date	Designation and Seal

11.1.Declaration by Horticulturist

I have read and understood the latest NHB Schemes operational guidelines and made the applicant understand the same.

In case IPA is issued for the project, I am willing to guide the growers of catchment area for scientific crop husbandry and pre-and post-harvest practices for food safety. In such instance I will render my services.

The project is technically feasible and economically viable and is bankable.

Certified that the information/contents as above furnished by me/us in the application are true to the best of my/our knowledge & belief and nothing material has been concealed.

My details are as follows:

Name of Horticult	urist	ICAR/	any working or retired CAU/SAU/SHU/Central CAR Agri/Horti-business	/State Horticultur
G	С .	Dept. of IC	AIX Agri/Horti-busines	5 incubators)
Current/ previous 1	profession:			
Educational qualification and				
University passed	University passed out			
Registration numb	er if any			
Permanent address	:			
Contact Number: Tel				
	Mobile			
	Email			

Place	Signature
Date	Designation and Seal

11.1.Declaration by Post-Harvest Technologist

I have read and understood the latest NHB Schemes operational guidelines and made the applicant understand the same.

In case IPA is issued for the project and after the completion of the project, I am willing to guide the Applicant in post-harvest practices for food safety. In such instance I will render my services.

Certified that the information/contents as above furnished by me/us in the application are true to the best of my/our knowledge & belief and nothing material has been concealed.

My details are as follows:

Name of Horticult	urist		CAU	J/ SA U/	SHU/	Central	/State	// scientist in Horticulture
Current/ previous profession:		1		<u>U</u>				,
Educational qualification and								
University passed out								
Registration number if any								
Permanent address:								
Contact Number: Tel								
	Mobile							
	Email							

Place	Signature
Date	Designation and Seal

Chartered Engineer /Civil Engineer Certificate Format in case of any Civil Work

(In his / her letter head)

(Applicable in case of Projects / Post harvest components involving Civil Works) (It should be taken at the time of preparation of DPR (one month before the DPR submission but should be enclosed during Market viability and Financial viability stage both in soft copy and hard copy)

S.No	Name of the project	
1	Location with address	
2	Date of site visit by the Chartered Engineer	

Civil Work if any

S.No	Name of component	Proposed Area	Proposed cost	Rate / Unit
		(Sq.m)	(Lakh Rs.)	(Rs/Sq.m)
	Total			

Name of Chartered Civil Engineer	
Current profession:	
Educational qualification and	
University passed out	
Membership number	
Firm Registration Number	
Permanent address:	
Contact Number:	Tel
	Mobile
	Email

Place	Signature
Date	Designation and Seal

Counter signature (with name) of Promoter / Authorised Signatory of Company with seal with date.

Chartered Engineer /Mechanical Engineer Certificate Format Only in case of any Project with components involving – Protected Cover, Plant & Machinery

(In his / her letter head)

(Applicable in case of Projects involving Protected Structure/ Micro-Irrigation/ Post harvest components involving Plant and Machinery)

(It should be taken at the time of preparation of DPR (one month before the DPR submission but should be enclosed during Market viability and Financial viability stage both in soft copy and hard copy)

S.No	Name of the project	
1	Location with address	
2	Date of site visit by the Chartered Engineer	
3.	Date of documents including land ownership /	
	registered lease etc. verification and due diligence	
	strictly as per NHB scheme guidelines.	

Plant and Machinery if any

S.No	Name of	Proposed	Proposed Cost (Rs Lakhs)		Supplier /
	component	Quantity or units			Manufacturer
			Basic	Taxes, Freight	(Supported by
			cost	Installation,	Quotation)
				insurance etc.	

In case IPA is issued for the project, I am willing to guide the growers of catchment area for scientific crop husbandry and pre-and post-harvest practices for food safety. In such instance I will render my services

Name of Chartered / Mech. Engineer	
Current profession:	
Educational qualification and	
University passed out	
Membership number	
Firm Registration Number	
Permanent address:	
Contact Number:	Tel
	Mobile
	Email
Place & Date	Signature & Designation and Seal

Counter signature (with name) of Promoter / Authorised Signatory of Company with seal with date.

11.3.Declaration by Project Finance Expert (Chartered accountant)

(It should be taken at the time of preparation of DPR (one month before the DPR submission but should be enclosed during Market viability and Financial viability stage both in soft copy and hard copy) (if the Market viability and Financial Viability chapters are prepared by the Project Finance Expert and not done by the applicant on his/her own)

S.No	Name of the project	
1	Project Location with address	
2	Date (s) of detailed discussion / interaction with	
	Applicant on the project	
3	Date of site visit by the Chartered Accountant	
4	Date (s) of due diligence and document including land	
	ownership/ registered lease, financial position and	
	market viability verification	
5	Other remarks	

6.Project Cost: As per the format provided in the chapter: Financial Viability

7.Means of Finance: As per the format provided in the chapter: Financial Viability

I have read and understood the latest NHB Schemes operational guidelines and made the applicant understand the same.

The project is technically feasible and economically viable and is bankable. The Financial and Market viability as provided in the Detail Project Report is true to the best of my knowledge.

Certified that the information/contents as above furnished by me/us in the application are true to the best of my/our knowledge & belief and nothing material has been concealed.

Name of Chartered Accountant	
Current profession:	
Educational qualification and	
University passed out	
Membership number	
Firm Registration Number	
Permanent address:	
Contact Number:	Tel
	Mobile
	Email
Place	Signature
Date	Designation and Seal

Note: Certification should be based on verification of books of accounts, bills, invoices, work orders, bank statements etc. of applicant and that of current profession/ business.

Counter signature (with name) of Promoter / Authorised Signatory of Company with seal with date.

Self-Declaration by applicant

- 1. I have read, understood and abide by the latest NHB Schemes operational guidelines including conditions, norms and pattern of assistance.
- 2. The information provided in the Detail Project Report is true to my knowledge.
- 3. In case the details provided by me viz., (i) my personal details, land, previous benefits availed by me from either Central and State Government if proved false at any stage NHB is entitled to recover any subsidy if any released by it from me.
- 4. I have availed the services of a competent Mechanical Engineer, Horticulturist and Postharvest technologist and for technical details and viability. Accordingly declaration is provided herewith.
- 5. I have availed the services of a competent Project Finance expert for the requisite project finance details and project viability. Accordingly declaration is provided herewith.
- 6. In case the project is approved for pre-IPA: technical feasibility, I shall undergo a 2 Weeks (min.10 working days) training programme at my own expenses in one of the relevant institution as found appropriate / approved by NHB.
- 7. I shall adopt scientific storage practices, technology standards and maintain proper accounts and records.
- 8. The project is technically feasible and economically viable and is bankable.
- 9. In case the project application is considered for Pre-IPA: Technical feasibility, I am bound to submit all required / requisite mandatory documents to establish veracity of my DPR and eligibility to claim subsidy under NHB Schemes in the form prescribed within 6 months of any such intimation from NHB for according In principle approval (IPA). Else I acknowledge that my application stands vacated and rejected by default of my omission.
- 10. I understand that incomplete, delayed and /or NPA projects and default cases shall not be eligible for subsidy.
- 11. In case IPA is issued and subsidy is released subsequently, the project location, plant & machinery will be **geotagged** permanently and shall not sell the any of items / plant & machinery/ components procured under the project. In case of any violation I am obliged to return the subsidy received within 30 days of notice from NHB.
- 12. I solemnly affirm/ undertake that the proposed project components in the application are a completely new activity and not a pre-existing activity or any component thereof.
- 13. In case of Plant & Machinery- only new are proposed. Reconditioned / refurbished equipment/ Plant & Machinery shall not be procured under the project.
- 14. In case of concealment of any facts in this regard, the NHB would have right to reject/cancel my application / project out right at any stage.
- 15. In case the project is approved for subsidy claim I shall undertake a MOU with NHB to comply with all the terms and conditions of the scheme guidelines as effective on the date of subsidy claim approval and any other condition/ advisory in the interest of projects success and sustainability.

Applicant (Name and signature) and Seal if any
Date
Location:

Appendix-VI

UNDERTAKING [Refer Para 12.1 (m)]

(Fathe	(Name of the Lead Promoter/Director/ Partner/ Proprietor etc.) Son of Mr r's name) resident of (Residential address) do hereby solemnly affirm clare/undertake as under:
1.	That I am promoter/ director/ partner/ proprietor of M/s
2.	I hereby make application and I am duly authorized in my own right/by management vide its resolution no
3.	That the term and conditions of the above scheme of the MoFPI under which an application is made by the applicant have been properly read and understood by me and I affirm that the project/ proposal comply with all the terms and conditions of the approval letter and provisions enshrined in the scheme guidelines.
4.	That the proposed activities to be undertaken by the project/proposal are covered under the above scheme of MoFPI and no part of the scheme/infrastructure of the project is designed or assigned to be used for any activity other than the activities specified in the application at present or in the near future.
5.	It is certified that (name of applicant) has not obtained or applied for grants for the same project, component, purpose or activity from any other Ministry or

Department of the Government of India or State Government or their agencies.

6. It is certified that applicant's sister concern (s)/ related company / group company/firms as well as the applicant itself has not availed any financial assistance for a food processing project in the past from MFPI [if availed, the details shall be

furnished separately].

- I also solemnly affirm/undertake that the proposed project components in the application are a completely new activity and not a pre-existing activity or any component thereof.
- In case of concealment of any facts in this regard, the MoFPI would have right to reject/ cancel my application/project out right at any stage.

- I will meet any shortfall in means of finance due to less admissibility of grant or any future reduction in grant-in-aid or any escalation caused in the cost of the project.
- 10. I shall not dispose-off or encumber or utilize the assets created wholly or substantially out of government grant for purpose other than those for which they have been sanctioned, without obtaining the prior approval of the sanctioning authority of grant-in- aid.
- 11. In case of non-implementation/ delayed implementation of the project the Ministry will have absolute right in cancelling the approval granted and also recall the grant released, if any, along with interest as per the scheme guidelines.
- In case of failure to operate the project for at least three years after commencement of commercial operation, I shall return the entire grant-in-aid with interest @ 10% per annum.
- 13. User charges/hiring rates of the facilities created under the project will be disseminated to the public including uploading of the same on the website of the project/ organization. A copy of the same will also be made available to the Ministry.
- 14. I undertake that all the information furnished in the application and the DPR with respect to the eligibility conditions, etc. are true and correct to the best of my knowledge and belief and nothing material has been concealed therefrom.
- 15. I also undertake that in the event of any information or facts furnished by me are found to be incorrect or material information concealed, during the course of implementation of the project or subsequent to implementation, the Ministry of Food Processing Industries may take action as per the provisions of scheme guidelines and/or as per the law of the land, as deemed fit and appropriate in the circumstances.

Date:	Signature of the Lead Promoter
Place:	

List of documents to be submitted:		

"Proposed stages in NHB SCHEME IMPLEMENTATION for new IPA Applications of Schemes No.1 &2 during 2018-19

(finalised based on the feedback from the stakeholders)

Stogo		inalised based on the feedback from the	Mode	Timeline	Remarks /
Stage	Player	Step	Mode	Timeline	Enclosure s
1	Applica nt	Submission of Prescribed Application -specific to the scheme along with DPR on the suggestive lines of model template (will be hosted in NHB website) and cost of Application	Online	Open througho ut year, as per Scheme design	No document is required to be enclosed at this stage.
2	NHB	Examines the Application and DPR and gets scrutiny of Technical feasibility duly considering the design of scheme offer.	-	Target 1 Month	
Technic al feasibilit y		In case anapplication/ project is rejected NHB will provide reasons for the decision. Further the applicant is provided with an opportunity to make his case by way of presentation of his project on an appointed day in the presence of competent authority. (Optional)	online		
		The objective is to help the applicant to know the weaknesses of the current project and enable him/ her to review / revise his/ her project to suit NHB Scheme requirements. The applicant is open to submit application afresh enclosing revised DPR and Cost of Application.			
4	Applica nt + Bank	NHB informs the approval of Technical feasibility based on the DPR submitted, to the applicant with a request to submit all the prescribed	online	Max. 1 month	Prescribed Self – attested document

		/ requisite documents along with Bank		(Allowed max.6 months strictly)	s including those specified in DPR
		Appraisal of Market viability and Financial viability of the proposal and DPR which NHB found technically feasible (should be after NHB Technical feasibility); and Sanction (after Appraisal) within 6 months of NHB's technical feasibility approval.			checklist are to be submitted by the applicant.
		Any lapse in time line, change of applicant (s), crop / component, location, technical aspects etc. as per the DPR scrutinised for the technical feasibility approval stands vacated / rejected. However he is eligible for fresh submission.			Bank appraisal and sanction- Bank is to certify each page with signature, Name, Designati on date, seal and upload online.
5	Applica nt Training	Undergoes 2 Weeks training programme (10 Working days) on the project activity at his/ herown expenses in an institute recommended / approved by NHB. In case of expansion projects the period could be 1 Week (5 days).	-	2 or 1 Week	Training is mandator y before issuing IPA.
		Any 10 days training underwent by the applicant with in the last 6 months (of the date of application) can also be considered by NHB subject to its relevance to the project.			

6	NHB	NHB examines the application, DPR, documentary evidence and Bank Appraisal of Market viability and financial viability, keeping in view the availability of the budget, priority (SabkaSaathSabka Vikas) and design of implementation of the offer / Year.	1	2 months Target 1 Month	
7 Market & Financia		NHB takes decision on In-Principle Approval (IPA) and informs decision to the applicant with reasons/grounds.	online		
Viabilit y- IPA-		IPA is issued only upon production of prescribed training completion certificate.			
8	Applica nt	Where ever IPA is issued- Applicant has to complete the project within the prescribed time limit. Else the IPA stands vacated / cancelled.		months from the date of release of first instalme nt of Term loan	
9	Applica nt +NHB+ Expert Instituti on	Participation of entrepreneurs in Knowledge sharing Workshops / Seminars etc.and interaction with MD NHB, Crop/ Expert institutions etc. Participation of applicants to the meeting will be at their own costand is optional and voluntary.			

10	Bank	Applicant submits subsidy claim within 3 months of completion of the project. Else the IPA stands vacated and rejected	Online + Hard copy	3 months	Self and Bank attested/ certified Prescribed document s
11	NHB + Bank/ FI+ State Govt+ Expert	NHB undertakes Joint Inspection of the field/ activity availing the services of NHB hired Photo cum Videographer in the presence of applicant. Also verify the all documentary evidences including Land RoR/Lease agreement, Legal search report, CA Certificate, Bank Sanctionetc. with concerned authority Bank and Bayonua.	Physic al inspection	Target: Max. within 30 days of request by online.	
		authority- Bank and Revenue / Industries etc.			
12		NHB Official hosts photographs and Video online preferably on the same day but not later than 48 hrs.	online	48 hrs from the conduct of Inspectio	
		The entrepreneur is free to hire his own photo/video grapher for his purpose.		n	
13	NHB	NHB JIT submits JIT report	Online with Hard copy	15 days	
14	NHB	NHB examines the JIT report and takes decision on release of subsidy subject to Scheme conditions and publish decision / minutes of competent authority with reasons in NHB website.	online	2 months	

15	NHB	In case NHB approves release of Online Target:
		subsidy, releases funds within 15 working days of minutes of competent authority to SRF account subject to availability of funds.
16	Bank/ FI	1. Depo sit the subsidy into SRF account against the Term loan account of Borrower. 2. Shall not charge interest on Term Loan equivalent to subsidy from the date of receipt of subsidy. 3. Conf irms the receipt of subsidy online. 4. Infor ms the receipt of subsidy to the applicant. 5. Shall inform if the Term loan account turns into NPA. 6. Clos ely monitor the project health minimum for 3 years or till the payment of term loan whichever is later. 7. Take s into consideration the NHB advisories.
17	Applica nt	1. Confirms the receipt of subsidy online. 2. Implement project strictly as perscheme guidelines. 3. Maintain records and accounts. 4. Adopts technology / scientificpackage of practices and innovate marketing / business strategies. 5. Takes into consideration the NHB advisories. 6. Regularly reports the performance of

	project health			
	7.	Shar		
	e best practices if any	to NHB.		

Salient features:

- 1. Scheme is open on all days during 2018-19 as per scheme design.
- 2. There will be a helpline email: helpdesk.nhb@gov.in to address queries from anybody.
- 3. There will be a provision to create an account for each applicant. Any change in status of application will be informed by an SMS and in account. All the correspondence from both sides Applicant, NHB and also of the Bank will be shown in the account.
- 4. For the best preparation: The applicant is advised to submit the application, DPR and cost of application, well in advance (6 months) from the proposed date of project start.
- 5. Applicants whose projects are rejected at Technical feasibility stage are welcome to resubmit the proposal for fresh examination with improved and corrected proposal.
- 6. The participating banks will adhere to the standard norms of appraising the project regarding Market viability and Financial viability before the release of term loan to ensure that the project is new, meets the guidelines of NHB, and the applicant has clear land title or lease hold right over the land.
- 7. The name of applicant (including entity) should be same in IPA Application, IPA, Bank Sanction and Land ownership / lease deed. Any deviation invites rejection.
- 8. Target / proposed timelines subject to Budget availability as per scheme design are:

Before	Technical feasibility	1 Month
IPA Approval	Upon submission of Bank Appraisal: Market and Financial feasibility	2 Months
Post - project	Competent committee meeting for a decision on subsidy claim after JIT report	2 Months
	Fund release in case competent authority approves subsidy claim	1 months